



Unit

MOTORCYCLE TOOL
CATALOG



FAT
JOINT
METALS

This FMX ramp series is supervised by representative FMX rider of Japan "DAICE," who is growing to be the ramp meister of the world.

**FREESTYLE
MOTORCROSS
JUMP UNIT**



" FAT " KICKER

The best kicker developed by "DAICE," who has built many kickers for his FMX riding and practices. It is easy to jump and is safe. Split type kicker is easy to assemble and disassemble in a short time. Very compact when it is disassembled, and saves space for storage. The riding surface is made of expanded metal to provide a stable runway condition, even in rainy and muddy conditions. We can construct a custom kicker for you, such as flair and super kickers.

FAT
JOINT
METALS





TEAM MX-VIRUS " DAICE " Japan Freestyle Motocross Rider

Representative veteran FMX rider of Japan, "DAICE" Daisuke Suzuki. He is not only a famous FMX rider in the world, but also a FMX kicker and landing builder. He designed all the kickers used in the 2014 Red Bull X Fighters in Osaka, Japan.



"FAT" LANDING

Construct a FMX landing without using a lot of dirt. Split type landing can be built and disassembled in short time. Developed with "DAICE," this landing has the best landing angle, durability and safety. The landing surface is made of steel board covered with urethane mat. This provides better grip and safe landings at the event, even in rainy conditions.



Height - up kit

1 m Higher height runaway to get more audiences at the event. Provides 1 m runaway to give more FMX riding and event satisfactions.

Up to 44 start gates



Motocross Starting Gate

Real starting gate for motocross racing.

Up to 44 start gates can be operated.

Available starting gates for temporary or permanent use.

Easy to lift up the gate because of less friction design.

Comes with 2 extra lift up pipes to assist in gate lifting, even in muddy condition.

One step on the pedal to drop the gate.

Optional starting gates box and optional remote control Available.



CONTROL UNIT



HIDEOUT (W5288)



Easy to disassemble for storage.




LINE UP



W5210 1ST CONTROL UNIT WITH 2 GRID

STARTING GATE RACE-1

- Kit comes with 1 starting unit, 2 gates and 3 lifting poles.
- Original design of gate unit makes easy and safe lifting of start gate by only one person.
- Step on to drop gate.
- Height of the gate can be adjusted.
- Wide mount type for temporary use.
- Nail peg only at the installation.
- The ground and the frame of a step = 5 cm.



W : 2.0 m

W5212 1ST ADDITIONAL UNIT-2



W : 3.0 m


W5213 1ST ADDITIONAL UNIT-3



W5220 1ST CONTROL UNIT WITH 2 GRID

STARTING GATE RACE-2

- Kit comes with 1 starting unit, 2 gates and 3 lifting poles.
- Original design of gate unit makes easy and safe lifting of start gate by only one person.
- Step on to drop gate.
- Height of the gate can be adjusted.
- Narrow mount type for permanent use.
- Embedding the frame on the ground, does not occur a step.



W : 2.0 m

W5222 1ST ADDITIONAL UNIT-2



W : 3.0 m

W5223 1ST ADDITIONAL UNIT-3

OPTION

W5289 RACE OPTIONAL REMOTE CONTROL KIT


- Gate drop operation system from the back.
- Gate-and-drop operation from the rider of the blind spot.
- Does not require installation of the cabin for the starter in this system.
- Gate drop by pulling hard.



W5288 RACE OPTIONAL HIDEOUT W:1.0 m

- Steel frame + 4 mm PP plate three-piece structure already completed.
- Three-piece structure already completed.
- Left and right panels are bolted to the front panel.
- 5 minutes installation and 5 minutes removal.





W5010 TEAM GATE

- Motocross start practice machine.
- Comes with starting lever to drop the gate.
- Gate height can be adjusted.
- Gate lifting pole is included.
- Comes with 4 pegs to fix the starting gate on the ground.
- Can be used with up to 5 additional gates.

Color : Silver
Material : Steel
Size : W1000 x D420 (mm)
Weight : 12 kg

W5012 TEAM GATE Additional gate

- Optional gate use with W5010 TEAM GATE.
- Gate height can be adjusted.
- Comes with 4 pegs to fix the starting gate on the ground.

Color : Silver
Material : Steel
Size : W1000 x D420 (mm)
Weight : 9 kg



W5010 comes with control Unit.

Gate angle can be adjusted.

Comes with 1 linking plate on W5010, 2 linking plates on W5012.



Stackable

E2000 STARTING BLOCK

- Starting block riser for young and short motocross riders at starting gate.
- 10 cm (4 inch) height block provides more stability to get better starts.
- None slip sheet on the surface for better grip.
- Stackable design, saves space in your van or garage.
- Made of steel, durable and light weight design.

Color : Black
Material : Steel
Size : 180 x 225 x 100 mm
Weight : 1.58 kg

W6501 WINNERS PODIUM

- Podium for racing events
- Durable steel. Diamond plate is used on the top, and help avoid slipping.
- Plain acrylic panel is equipped. Decorable as an original using stickers.
- Removing the connecting bolts (6), stackable so that it is easy to store.

1st place height 45 cm x width 50 cm x depth 45 cm
2nd place Height 25 cm x width 45 cm x depth 40 cm
3rd place height 20 cm x width 45 cm x depth 40 cm
Height 45 cm Width 50 cm Depth 45 cm (when stored)
Material: Frame - Steel (black), Top board - Steel (black),
Panel - Acrylic board (White)



White : E0101



Black : E0102

E010x PIT BOARD


- The material is made of acrylic, has excellent weather resistance and impact resistance, and its surface hardness is strong to scratch.
- Both sides can be used.
- * Marker is not included.

Color : Black/White
Material : Acrylic
Size : L 380 x W 470 x thickness 3.5 (mm)
Weight : 650 g

E1410 MOUSSE CHANGER

- Tire changer designed for mousse tire change and easy bead removing.
- Long bead breaker plate to easily push mousse tire down.
- Long operation handle makes bead breaking easy, gives you enough space for tire levers between wheel rim and tire bead.
- Comes with tire lever holder and tire changer fixed holes.
- Can be used with wheel axle shaft size 20 mm - 22 mm and 25 mm - 26 mm, wheel size from 18 inch to 21 inch.
- Foldable design saves space in your garage or in your race van.
- Durable steel frame holds wheel during tire change.

Color : Black
Material : Steel
Size : W800 x D960 x H590 (mm)
Folding : W140 x D960 x H590 (mm)
Weight : 13.5 kg



The shaft is able to turn upside down to fit to the bearing inner diameter of each bikes.



NOW ON

YouTube
UNIT MOTORCYCLE PRODUCTS

**Not only changing mousse,
but also can be used for standard tire changes.**



↑ Mousse changes
↓ Bead breaking



Comes with tire lever hook.

Can be used tire size from 18 to 21 inches by changing bead breaker positions.

- Bead breaker height position adjustable holes.
- Upper hole : Mousse change
- Lower hole : Bead breaking

**Compact design, save your space
in your garage or in your race van.**



E1250 PORTABLE TIRE CHANGER

- Portable tire changer.
- It can be used for wheels with an axle shaft of 17 mm or more.
- Work can be done while rotating the wheel on the changer.
- Foldable and compact when storing.


Color : Black
Material : Steel
Size : W770 x D770 x H575 - 920 (mm)
Weight : 5 kg

You Tube
UNIT MOTORCYCLE PRODUCTS



Shaft diameter 16 mm

Tapered cone holds the wheel firmly.



Folding

4 stage height adjustable system (575 mm - 920 mm)



Tire lever pocket equipment.



Tapered cone is used to minimize rattling.



Includes a gauge to check bending of the rim and disk.



E1258 PORTABLE TIRE CHANGER OPTION. BEAD BREAKER

Size : Width Depth 770 x Height 575 - 920 (mm)



E1259 PORTABLE TIRE CHANGER OPTION. Ring / 12 mm Shaft

- Ring and shaft set can be used for wheel of 12 mm or more of axle shaft diameter.
- Ring diameter 300 mm.



Shaft diameter 14 mm

720 mm - 920 mm

E1260 TIRE CHANGER PRO

- 5 stage height adjustable system 50 mm increments (720 mm - 920 mm)
- Can be used for wheels with axle shaft of 15 mm or more.
(Full size and trail, most of all fits racers)
- Ring diameter 350 mm (compatible to wheel of 16 inches or more)
- Equipped with tire lever pocket.
- Cone prevents play and rattling

Color : Black
Material : Steel
Size : W750 x 720 - 920 (mm)
Weight : 7 kg

Tire lever holder include.

5 stages height adjustable system
50 mm increments. (720 mm - 920 mm)



Color : Black
Material : Steel
Length : 450 mm
Weight : 1.2 kg

P2620 BEAD BREAK KEEPER

- Break bead on both sides at once and keep that portion.



Color : Black
Material : Steel
Length : 470 mm
Weight : 850 g

E1364 PIVOT POINT BEAD BREAKER

- Fits each brand ring type tire change stand.
- Hook the U shape on the ring and push down the handle to break the bead.
- The fulcrum position is adjustable and fits various tire sizes.



E1201 TIRE CHANGER

- Tire changer stand for motorcycle tire changes.
- Holds your wheels secure during your removal and installation of your wheel.
- Comes with wheel rotating knob to hold wheel during tire changes.
- Wheel holding corn keeps wheel in position.
- Shaft size : 16 mm

Color : Black
Material : Steel
Size : W500 x D500 x H320 (mm)
Weight : 4.6 kg



P2620 BEAD BREAK KEEPER P8 **E1364 PIVOT POINT BEAD BREAKER P9**



E1301 OPTION FOOT KIT for E12xx TIRE CHANGER

E1210 TIRE CHANGER w / BEAD BREAKER

- Tire changer stand comes with bead breaker.
- Easy to break a bead with the long operation bead breaker handle.
- Great to use on mousse tire changes.
- Bead breaker makes room for tire levers between tire bead and wheel rim, easy to stick your tire levers.
- Bead breaker plate can adjust its position to fit most motorcycle tires.
- Usable for wheel size up to 21 inch.
- Shaft size : 16 mm

Color : Black
Material : Steel
Size : W500 x D760 x H320 (mm)
Weight : 6.6 kg



You Tube

UNIT MOTORCYCLE PRODUCTS



You Tube

UNIT MOTORCYCLE PRODUCTS



E1010 TIRE BEAD BREAKER STD

- Heavy-duty tire bead breaker.
- Long operation handle make bead breaking easy.
- Wide bead breaker plate is designed for breaking wider bead breaking with one operation.
- Rubber plate protects tire and rims from scratches during bead breaking.
- T shape body provides better stability.
- Can be used for tire sizes from 15 to 21 inches.

Color : Black
Material : Steel
Size : W620 x D210 x H385 (mm)
Weight : 4 kg



E1020 TIRE BEAD BREAKER COMPACT

- Compact size bead breaker, saves space in the garage and is easy to carry.
- Long operation handle make bead breaking easy.
- Rubber plate protects tire and rims from scratches during bead breaking.
- Can be used for tire sizes up to 18 inches.

Color : Black
Material : Steel
Size : W530 x D50 x H210 (mm)
Weight : 3 kg



P260x BEAD HOLDER

- Convenient tool to keep the bead pushed down when assembling tires.
- 2 Types : Handle type with easy insertion, and compact type optimum for carrying.

YouTube

UNIT MOTORCYCLE PRODUCTS



P2602 BEAD HOLDER Compact Size

Size : L105 x W25 x H35 (mm)
Weight : 95 g

P2604 BEAD HOLDER

Size : L210 x W28 x H35 (mm)
Weight : 186 g



P2610 TIRE BEAD LIFTER

- Keep the bead open when replacing a tube.
- Work smoothly for even hard beads.

Color : Black
Material : Steel
Size : L275 x W80 x T6 (mm)
Weight : 267 g



YouTube

UNIT MOTORCYCLE PRODUCTS



Off set wrench design

P370x REAR SPROCKET WRENCH

- Designed to easily loosen and tighten rear sprocket nuts.
- Offset wrench design for easy access to sprocket nuts.
- Chamfering finish on wrench hole side for smooth operation.
- Width 300 mm x Thickness 0.5 mm

Length : 300 mm
Weight : 195 - 227 g

	Part #	Size (mm)
A	P3701	12, 13
B	P3705	12
C	P3706	13
D	P3707	14
E	P3708	17

A

B

C

D

E

YouTube
UNIT MOTORCYCLE PRODUCTS

F



G

H

P371x REAR SPROCKET WRENCH 3/8 DR


- Sprocket wrench to use 3/8 drive ratchet torque wrench.
- Designed to easily and tighten rear sprocket nuts.
- Offset wrench design for easy access to sprocket nuts.
- Chamfering finish on wrench hole side for smooth operation.
- When using a torque wrench, please correct the change in tightening torque according to the length of the handle by using the following calculation formula.
- As shown in the illustration, please set this product and torque wrench to be in line.

	Part #	Size (mm)
F	P3715	12
G	P3716	13
H	P3717	14


Length : 140 mm
Weight : 123-124 g

$$T_t = \frac{T \times L}{(L + 120)}$$

L = Torque wrench effective length
T = specified torque by manufacturer.
Tt = reading of the torque wrench



YouTube
UNIT MOTORCYCLE PRODUCTS



P3110 HEX BIT SET 12/14/17/19/22/24

- Hex wrench to be used in combination with socket wrench and box wrench and wrench.
- 12 mm / 14 mm / 17 mm / 19 mm / 22 mm / 24 mm Set.

Weight : 758 g



P3105 FRONT AXLE WRENCH 19 mm

- 19 mm hex tool that is convenient for removal of the front wheel.
- Pushing in the axle shaft enables quick work.

Length : 140 mm
Weight : 230 g

YouTube
UNIT MOTORCYCLE PRODUCTS

TOOL / SUSPENSION





A P3041

27 mm / 30 mm (Designated)

B P3042

34 mm / 38 mm (Designated)



Color : Black
Material : Steel
Length : 350 mm
Weight :
A = 344 g
B = 510 g
C = 326 g
D = 311 g
E = 313 g




P304x FORK CARTRIDGE HOLDER HOOK

- By removing the cylinder cartridge of the front fork, the internal oil can drain completely.
- Mini to full size motocrosser, compatible with current trail model.


Bike	Year	Part #
CR125R	91-03	UN-P3041
CRF450R	04-07	UN-P3043
XR250	95-07	UN-P3041
KX80/85	90-20	UN-P3041
KX100	95-20	UN-P3041
KX125	90-03	UN-P3041
KX250	04-08	UN-P3043
KX500	90-03	UN-P3043
KX250F	04-05	UN-P3043
KLX250	98-16	UN-P3043
/D-TRACKER		

Bike	Year	Part #
YZ65	18-20	UN-P3041
YZ80/85	90-20	UN-P3041
YZ125	90-03	UN-P3041
YZ250	90-03	UN-P3041
YZ250F	90-03	UN-P3041
YZ400F	98-99	UN-P3041
YZ426F	00-02	UN-P3041
YZ450F	03	UN-P3041
WR250F	01-04	UN-P3041
WR400F	98-00	UN-P3041
WR426F	01-02	UN-P3041
WR450F	03-04	UN-P3041
WR250R/X	07-17	UN-P3041
RM-Z250	04-06	UN-P3043
	16-19	UN-P3042


C P3043 Hex 19 / Hex 22 (Universal)



D P3044 Hex 24 / Hex 27 (Universal)



E P3045 Hex 29 / Arrowhead (Universal)



UNIT MOTORCYCLE PRODUCTS

M10XP1.0

M12XP1.25

P3031 FORK ROD PULLER

- A tool to pull up the piston rod of the front fork.
- It can also be used as a bleeding rod.

Size : M10XP1.0, M12XP1.25
Length : 350 mm
Weight : 91 g

Piston rod





You Tube
UNIT MOTORCYCLE PRODUCTS



P300x FORK TOP CAP WRENCH

- Wrench for removing front fork cap.
- 2 wrench sizes available, 49 mm for KYB and 50 mm for SHOWA and 50 mm KTM WP front fork.
- Open wrench design for easy operation in small spaces.
- Opposite end of the wrench is rod stopper to hold piston rod when removing piston inner cartridge.
- Socket hole available for torque wrench.
(Socket size is 9.5 sq = 3 / 8 inch)
- Made of durable steel, electrodeposition coating finish.

Color : Black
Material : Steel
Size : L 215 mm
Weight : 239 - 251 g

Bike	Year	Front Fork
CRF450R	09-14	P3004 KYB (49 mm)
YZ125/250	06-21	
YZ250F/450F	06-21	
YZ125X	17-21	
YZ250X	16-21	
YZ250FX	15-21	
YZ450FX	16-21	
WR250F	15-21	
WR450F	13-21	
KX250	20-21	
KX250X	21	
KX450F	06-14	
RMZ250	16-20	
EC250	18-20	
EC300	18-20	
XC250	18-20	
XC300	18-20	
ENDURO GP250	18-20	
ENDURO GP300	18-20	
125SC FACTORY	19-20	
250SC FACTORY	19-20	
300SC FACTORY	19-20	
250SCF FACTORY	19-20	
300SCF FACTORY	19-20	
450SCF FACTORY	19-20	
500SCF FACTORY	19-20	
250SE FACTORY	19-20	P3005 SHOWA (50 mm)
300SE FACTORY	19-20	
250SEF FACTORY	19-20	
300SEF FACTORY	19-20	
450SEF FACTORY	19-20	
500SEF FACTORY	19-20	
CRF250R	04-21	P3003 WP (50 mm)
CRF450R	17-21	
CRF250RX	19-21	
CRF450RX	17-21	
CRF250X	06-17	
CRF450X	05-21	
CRF450L	19-20	
CRF450RL	21	
KX250F	06-18	
KX250	19	
KX450F	15-18	
KX450	19-21	
KX450X	21	
RM125	06-08	
RM250	07-08	
RMZ250	07-15	
RMZ450	05-20	
RMX450Z	10-17	
DRZ400SM	05-17	
125SX	07-21	
150SX	09-21	
250SX	07-21	
250SX-F	07-21	
350SX-F	11-21	
450SX-F	07-21	
150/250/300EXC	17-21	
250-500EXC-F	17-21	
125/250/300XC	17-21	
250-450XC-F	17-21	
125-300XC-W	17-21	
FC250-450	17-21	
TC125/250	17-21	
FE250-501	17-21	
TE150-300	17-21	
FX350/450	17-21	
TX125/300	17-21	
MC125	21	
MC250F	21	
MC450F	21	
EX250F	21	
EX300	21	
EX350F	21	
EX450F	21	
EC300	21	



E7310 FRONT FORK STAND

- Front fork stand, holds your front fork during your front fork maintenance.

Color : Black
Material : Steel
Size : W290 x L500 x H530 (mm)
Weight : 2.6 kg






P2310 DUST SEAL REMOVER

- Dust seal remover for front fork dust seal.
- Easily remove dust seal without damaging front fork outer tube.

Color : Black
Material : Steel
Size : L 168 mm
Weight : 93 g

You Tube
UNIT MOTORCYCLE PRODUCTS



P2210 FORK OIL SEAL REMOVER

- Using the principle of leverage, the fork seal removal tool makes removing fork seals easy.
- Won't scratch front fork body.
- * Do not reuse oil seal.

Color : Black
Material : Steel
Size : L 200 mm
Weight : 143 g



P3505 PIPE CLAMP SET

- Front fork inner tube clamp set.
- Hold your front fork tight to remove axle bracket.
- Can be used with inner fork sizes from 46 mm to 49 mm.
- Made of aluminum, to prevent damage to your front fork inner tube.

Color : Silver
Material : Aluminum
Size : W80 x H 80 x T80 (mm)
Weight : 1.06 kg

*Please hold clamp with vice securely.
*Hold the front fork tight to remove lower bracket.



P3011 AXLE BRACKET SPINNER / HOLDER


- Tool to support to remove and install an axle bracket of an inverted front fork.


Diameter range of the axle : Φ 20 mm Φ 22 mm Φ 25 mm
bracket hole Φ 26 mm Φ 27 mm Φ 30 mm

Color : Silver
Material : Steel
Length : 320 mm
Weight : 1.4 kg

How to use

- A front fork inner tube is securely fixed by UNIT PIPE CLAMP (P3505), insert the axle spinner into the shaft hole of the axle bracket and rotate it counterclockwise to disassemble.
- Please unscrew lock-screws to lock the axle shaft on an axle bracket before disassembling if needed.





YouTube

UNIT MOTORCYCLE PRODUCTS

P1120 SPRING COMPRESSOR EX

- It works for most motorcycle rear suspension regardless of single / twin suspension.
- It come with the belt, can be easily and safely removed simply by tightening the spring without damaging the spring. Easily remove spring from suspension body.
- Rubber on the side for maintenance when work on the work bench.
- It comes with attachments for Loop type and Bracket type.

MONO SHOCK TWIN SHOCK

Color : Black
Material : Steel
Weight : 1.8 kg

YouTube

UNIT MOTORCYCLE PRODUCTS

P1124 SPRING COMPRESSOR



TWIN SHOCK

P1122 SPRING COMPRESSOR S

- Spring removal tool for twin shock motorcycles.
- 2 spring hooks hold the springs secure while compressing the springs, making it easy to remove the springs from the shock bodies.
- Weight : 473 g



MONO SHOCK

P1124 SPRING COMPRESSOR L

- Spring compressor for mono shock suspensions.
- 2 hooks hold the spring secure, and compress spring by tightening nuts.
- Easily remove spring from suspension body.
- Designed for easy use with vice.
- Weight : 673 g

P34xx SHOCK SPANNER WRENCH

- Preload spanner wrench make easy to adjust your spring preload on your suspension.
- Wrench size available for common preload nuts.
- Available 3 different wrenches.



P3412

Wrench size : 72 mm
Thickness : 5 mm
Length : 240 mm
Weight : 192 g

P3414

Wrench size : 82 mm
Thickness : 5 mm
Length : 255 mm
Weight : 205 g

P3440

Wrench size : 72 mm / 82 mm
Thickness : 5 mm
Length : 280 mm
Weight : 241 g



P340x SHOCK SPANNER WRENCH 3/8DR

- Spanner wrenches use with 3/8 drive ratchet wrench.
- Can be used with torque wrench for secure preload nut tightening torque.
- Available 2 wrench sizes, 72 mm and 82 mm.



P3402

Wrench size : 72 mm
Thickness : 5 mm
Length : 100 mm
Weight : 82 g

P3404

Wrench size : 82 mm
Thickness : 5 mm
Length : 90 mm
Weight : 76 g

You Tube

UNIT MOTORCYCLE PRODUCTS

P6010 SHOCK PUNCH

- Hammering rod to loosen or tighten suspension preload adjuster.
- Designed for easy to access / hit preload adjuster.

Color : Black
Material : Steel
Size : L 265 mm
Weight : 156 g



P1310 Bracket type



P1312 Loop type



P131x SUSPENSION PROP BAR

- Installed as an alternative during rear suspension overhaul.
- Movable without rear suspension.
- Range length 320 mm to 480 mm without notched increments.
- Loop type and Bracket type.

Adjustable range Up to 304 mm - 498 mm

P1310

Type : Bracket type
Upper bolt hole : Diameter M11
U-shaped outer : Diameter 31 mm
U-shaped inner : Diameter 23 mm
Weight : 1.04 kg

P1312

Type : Loop type
Upper bolt hole : Diameter M11
Weight : 1.05 kg



P1330 SAG MATE

- Tool to measure sag, able to check the scale by yourself.
- Set this tool on your rear fender and axle shaft to measure accurate sag.
- Allows you to measure sag quick and easy.
- Get your best sag at your garage and track side.
- Compact design for save your storage space.

Color : Black
Material : Steel
Weight : 269 g





P323x STEERING STEM NUT Comb. WRENCH

- Equipped with wrench and hook wrench, it works with the few tools.
- 6 mm thickness design, easy to loosen the stem nut without removing the handlebar.

Color : Black
Material : Steel
Length : 300 mm

	Part #	Wrench Size
A	P3234	27 mm
B	P3236	30 mm
C	P3237	32 mm



D 3/8DR

E

P32xx STEERING STEM WRENCH

- Wrench for steering stem nut.
- Can be used for all off-road and road bikes.
- Precision laser cut for accurate fit on most steering stem nut.
- 6 mm thickness to access stem nut without removing top triple clamp.
- Stem wrench to use with 3/8 drive ratchet wrench available.


	Part #	Length Size	Weight
D	P3210	80 mm	47 g
E	P3220	200 mm	143 g



P2510 BEARING REMOVER

- Impact bearing remover, great to use when removing motorcycle wheel bearings.
- Hammer will not hurt your hand, because of its offset handle design.
- Offset bearing hammer head for secure bearing hammering.

Color : Black
Material : Steel
Size : W120 x T335 (mm)
Weight : 217 g



STAINLESS SPOKE / NIPPLE SET

- Made of rust resistant stainless steel.

- Spoke/nipple sets for motocross, enduro, super moto, dual sport, small, street and vintage bikes available.

Narrow thread type

YAMAHA (FRONT)					
Bike	Year	Part #	Nt	Nipple	Bto
YZ50	80	DC423-1002		SUS	Bto
YZ60	81-83	DC423-1002		SUS	Bto
YZ65	18	DC423-1003		SUS	Bto
	74-79	DC423-1004		SUS	Bto
YZ80	81-83	DC423-1008		SUS	Bto
	86-92	DC423-1010		SUS	Bto
	93	DC423-1011		SUS	Bto
	94-01	DC423-1012		SUS	Bto
YZ85	02-19	DC423-1012		SUS	Bto
YZ80LW	94-01	DC423-1013		SUS	Bto
YZ85LW	02-19	DC423-1013		SUS	Bto
MX100	74-81	DC423-1069		SUS	Bto
	76	DC423-1024		SUS	Bto
YZ100	77	DC423-1026	Nt	SUS	Bto
	78-83	DC423-1022		SUS	Bto
	72-75	DC423-1022		SUS	Bto
MX125	76	DC423-1024		SUS	Bto
	74-75	DC423-1022		SUS	Bto
	76	DC423-1024		SUS	Bto
	77-82	DC423-1026	Nt	SUS	Bto
	83	DC423-1028		SUS	Bto
YZ125	86-91	DC423-1034	Nt	AL	Bto
	92-19	DC423-1035		AL	Bto
YZ125X	16-19	DC423-1035		AL	Bto
MX175	74-75	DC423-1022		SUS	Bto
YZ175	76	DC423-1024		SUS	Bto
MX250	73-75	DC423-1024		SUS	Bto
	74-76	DC423-1024		SUS	Bto
	77-82	DC423-1026	Nt	SUS	Bto
	83	DC423-1028		SUS	Bto
	86-91	DC423-1034	Nt	AL	Bto
	92-19	DC423-1035		AL	Bto
YZ250WR	89-90	DC423-1034	Nt	AL	Bto
YZ250X	16-19	DC423-1035		AL	Bto
MX360	73-74	DC423-1024		SUS	Bto
YZ360	74-78	DC423-1024		SUS	Bto
MX400	75	DC423-1024		SUS	Bto
	76-78	DC423-1026		SUS	Bto
YZ400	79-82	DC423-1026	Nt	SUS	Bto
YZ465	79-82	DC423-1026	Nt	SUS	Bto
	79-82	DC423-1026	Nt	SUS	Bto
YZ490	83	DC423-1028		SUS	Bto
	86-90	DC423-1034	Nt	AL	Bto
YZ250F	01-19	DC423-1035		AL	Bto
YZ250FX	15-19	DC423-1035		AL	Bto
YZ400F	98-99	DC423-1035		AL	Bto
YZ426F	00-02	DC423-1035		AL	Bto
YZ450F	03-19	DC423-1035		AL	Bto
YZ450FX	15-19	DC423-1035		AL	Bto
WR200	92	DC423-1081		SUS	Bto
WR250Z	91	DC423-1034	Nt	AL	Bto
	92-98	DC423-1035		AL	Bto
WR250F	01-19	DC423-1035		AL	Bto
WR400F	98-00	DC423-1035		AL	Bto
WR426F	01-02	DC423-1035		AL	Bto
WR450F	03-19	DC423-1035		AL	Bto
WR500Z	92-93	DC423-1034	Nt	AL	Bto
PW80	83-12	DC423-1002		SUS	Bto
TTR90E	00-07	DC423-1002		SUS	Bto
TTR110E	08-19	DC423-1002		SUS	Bto
TTR125	00-04	DC423-1110		SUS	Bto
	00-04	DC423-1110		SUS	Bto
TTR125E	05-09	DC423-1111		SUS	Bto
TTR125L	00-08	DC423-1111		SUS	Bto
TTR125LE	00-19	DC423-1111		SUS	Bto
TTR125LW	00-03	DC423-1111		SUS	Bto
TTR125LWE	04-06	DC423-1111		SUS	Bto
TTR225	99-04	DC423-1117		SUS	Bto
	05-07	DC423-1078		SUS	Bto
TTR230	08-11	DC423-1080		SUS	Bto
TTR250	99-06	DC423-1083		SUS	Bto
JT1	70	DC423-1059		SUS	Bto
JT2(JT60)	71	DC423-1059		SUS	Bto
JT2MX	72	DC423-1059		SUS	Bto
FT1	70-71	DC423-1059		SUS	Bto
FX50	72	DC423-1066		SUS	Bto
GR50	74-75	DC423-1059		SUS	Bto
GR80	74-75	DC423-1059		SUS	Bto
	72-76	DC423-1066		SUS	Bto
MR50	77-81	DC423-1069		SUS	Bto
MR80	80-82	DC423-1069		SUS	Bto
GT50	72-80	DC423-1059		SUS	Bto
GT80	72-80	DC423-1059		SUS	Bto
HT90	71-73	DC423-1069		SUS	Bto
AT1	69-70	DC423-1071		SUS	Bto
AT125	71-73	DC423-1071		SUS	Bto
AT1M	69-70	DC423-1071		SUS	Bto
AT1MX	71	DC423-1071		SUS	Bto
AT125MX (MX125)	72-73	DC423-1020		SUS	Bto
CT1	69-71	DC423-1071		SUS	Bto
CT175/CT2 (CT175)	72-73	DC423-1071		SUS	Bto
DT1(DT250) (DT2)(DT3)	68-73	DC423-1090		SUS	Bto
DT1E	69-73	DC423-1090		SUS	Bto
DT1MX	69-71	DC423-1090		SUS	Bto
DT2MX	72	DC423-1024		SUS	Bto
RT1	70	DC423-1090		SUS	Bto
RT1(RT360)	71-72	DC423-1090		SUS	Bto
DT360	73-74	DC423-1092		SUS	Bto
RT1M	70	DC423-1090		SUS	Bto
RT1MX	71	DC423-1090		SUS	Bto
DT50	82-96	DC423-1068		SUS	Bto
DT80	81-83	DC423-1059		SUS	Bto
DT100	74-76	DC423-1069		SUS	Bto
	77-83	DC423-1070		SUS	Bto
	74-75	DC423-1072		SUS	Bto
DT125	76-77	DC423-1073		SUS	Bto
	78-82	DC423-1074		SUS	Bto
DT125(33G)	83-84	DC423-1076		SUS	Bto
DT125R(34X)	85-87	DC423-1078		SUS	Bto
DT125R	88-98	DC423-1080		SUS	Bto

YAMAHA (FRONT)					
Bike	Year	Part #	Nt	Nipple	Bto
DT175	74-75	DC423-1072		SUS	Bto
	76-77	DC423-1073		SUS	Bto
	78-81	DC423-1074		SUS	Bto
DT200(37F)	84-87	DC423-1078		SUS	Bto
DT200R	88-90	DC423-1080		SUS	Bto
DT250	74	DC423-1092		SUS	Bto
	75-76	DC423-1093		SUS	Bto
DT250M	77-79	DC423-1095	Nt	SUS	Bto
DT400	75-76	DC423-1093		SUS	Bto
DT400M	77-78	DC423-1095	Nt	SUS	Bto
IT125	80-81	DC423-1022		SUS	Bto
IT175	77-83	DC423-1026	Nt	SUS	Bto
IT200	86	DC423-1081		SUS	Bto
IT250	77-82	DC423-1026	Nt	SUS	Bto
	83	DC423-1045		SUS	Bto
IT400	76	DC423-1095	Nt	SUS	Bto
	77-79	DC423-1026	Nt	SUS	Bto
IT425	80	DC423-1026	Nt	SUS	Bto
IT465	81-82	DC423-1026	Nt	SUS	Bto
IT490	84	DC423-1045		SUS	Bto
DT200WR	91-94	DC423-1081		SUS	Bto
DT230LANZA	97-00	DC423-1083		SUS	Bto
AG200	85	DC423-1126		SUS	Bto
TT225	86-87	DC423-1080		SUS	Bto
TT250	80-82	DC423-1026	Nt	SUS	Bto
	86-87	DC423-1081		SUS	Bto
TT350	86-87	DC423-1081		SUS	Bto
TT500	76	DC423-1024		SUS	Bto
	77-81	DC423-1026	Nt	SUS	Bto
	83-84	DC423-1045		SUS	Bto
TT600	85-86	DC423-1081		SUS	Bto
XT125	82-84	DC423-1123		SUS	Bto
XT200	82-84	DC423-1125		SUS	Bto
XT250	80-81	DC423-1129	Nt	SUS	Bto
	83-84	DC423-1129	Nt	SUS	Bto
XT250T	85	DC423-1130		SUS	Bto
XT400	82	DC423-1146	Nt	SUS	Bto
XT500	76-81	DC423-1095	Nt	SUS	Bto
XT550	82-83	DC423-1146	Nt	SUS	Bto
XT600/Z	84-90	DC423-1147	Nt	SUS	Bto
XT600E	90-95	DC423-1148	Nt	SUS	Bto
XT125(USA)	82-83	DC423-1123		SUS	Bto
XT200(USA)	82-83	DC423-1123		SUS	Bto
XT225(USA)	92-07	DC423-1080		SUS	Bto
XT250(USA)	81-83	DC423-1129	Nt	SUS	Bto
	08-11	DC423-1080		SUS	Bto
XT350(USA)	85-00	DC423-1130		SUS	Bto
XTZ125	03-17	DC423-1124		SUS	Bto
TT250R	93-97	DC423-1083		SUS	Bto
TT250R RAID	94-96	DC423-1083		SUS	Bto
WR250R	07-17	DC423-1135		SUS	Bto
WR250X	07-17	DC423-1137		SUS	Bto
BRONCO ST225	87	DC423-1127		SUS	Bto
SEROW225	95-94	DC423-1080		SUS	Bto
SEROW225W	93-96	DC423-1080		SUS	Bto
SEROW225WE	97-04	DC423-1080		SUS	Bto
SEROW250	05-18	DC423-1080		SUS	Bto
TRICKER	04-18	DC423-1139		SUS	Bto
XT250X	06-17	DC423-1133		SUS	Bto
TW200	87-98	DC423-1201		SUS	Bto
	98-99	DC423-1201		SUS	Bto
TW200E	00-01	DC423-1203		SUS	Bto
	87-00	DC423-1201		SUS	Bto
TW200(USA)	01-11	DC423-1203		SUS	Bto
TW225E	02-07	DC423-1203		SUS	Bto
TY50	75-79	DC423-1069		SUS	Bto
TY80	75-77	DC423-1069		SUS	Bto
TY125	75-78	DC423-1022		SUS	Bto
TY175	75-80	DC423-1022		SUS	Bto
TY250	74-77	DC423-1022		SUS	Bto
TY250R	91	DC423-1316		SUS	Bto
TY250Z SCOTISH	93-96	DC423-1316		SUS	Bto
TD250	88-92	DC423-1316		SUS	Bto
ARTESIA XT400E	91	DC423-1148	Nt	SUS	Bto
	92	DC423-1147	Nt	SUS	Bto
XT660Z TENERE	08-15	DC423-1370		SUS	Bto
50F5C	68	DC423-2102		SUS	Bto
50F51	69	DC423-2102		SUS	Bto
FS50	70	DC423-2102		SUS	Bto
RD50	74-79	DC423-2105		SUS	Bto
HX90	71	DC423-2115		SUS	Bto
RD125	74-78	DC423-2121		SUS	Bto
250DS6	69	DC423-2131		SUS	Bto
DX250	70-72	DC423-2131		SUS	Bto
DX250 PRO	72	DC423-2133		SUS	Bto
RD250	73-78	DC423-2133		SUS	Bto
RD350	73-75	DC423-2133		SUS	Bto
RD400/II	76-77	DC423-2133		SUS	Bto
XS650E	71-73	DC423-2145		SUS	Bto
XS650SP	78	DC423-2145		SUS	Bto
TX500	73-75	DC423-2151	Nt	SUS	Bto
TX650	74-83	DC423-2145		SUS	Bto
TX750	72-75	DC423-2145		SUS	Bto
GX500	76	DC423-2151	Nt	SUS	Bto
GX750	76-78	DC423-2145		SUS	Bto
RZ50	98-06	DC423-2110		SUS	Bto
SRV250	93	DC423-2138	Nt	SUS	Bto
SRV250	96-97	DC423-2138	Nt	SUS	Bto
RENAISSA					
XVS250					
DRAG STAR	00-16	DC423-2147		SUS	Bto
	78-84	DC423-2145		SUS	Bto
SR400	85-00	DC423-2146		SUS	Bto
	01-19	DC423-2147		SUS	Bto
SR500	85-00	DC423-2146		SUS	Bto

YAMAHA (REAR)					
Bike	Year	Part #	Nt	Nipple	Bto
YZ50	80	DC423-5000		SUS	Bto
YZ65	18	DC423-5002		SUS	Bto
MX80	80-82	DC423-5082		SUS	Bto
	74-79	DC423-5011		SUS	Bto
	81-83	DC423-5006		SUS	Bto
YZ80	93	DC423-5008		SUS	Bto
	94-01	DC423-5009		SUS	Bto
YZ85	02-19	DC423-5009		SUS	Bto
YZ80LW	94-01	DC423-5010		SUS	
YZ85LW	02-19	DC423-5010		SUS	
MX100	74-75	DC423-5091		SUS	Bto
	79-81	DC423-5121		SUS	
YZ100	76-81	DC423-5018	Nt	SUS	Bto
	82-83	DC423-5024	Nt	SUS	Bto
	74	DC423-5014		SUS	Bto
MX125	75-76	DC423-5018	Nt	SUS	Bto
	74-75	DC423-5014		SUS	Bto
	76-80	DC423-5016	Nt	SUS	Bto
	81-82	DC423-5024	Nt	SUS	Bto
YZ125	83	DC423-5032	Nt	SUS	Bto
	88	DC423-5046		SUS	
	89-98	DC423-5048		SUS	
	99-19	DC423-5054	AL	SUS	
YZ125X	16-19	DC423-5057		AL	
YZ125 18inch Conversion	99-19	DC423-5057		AL	
MX175	74-81	DC423-5012		SUS	Bto
YZ175	76	DC423-5018	Nt	SUS	Bto
	73-74	DC423-5013		SUS	Bto
	75	DC423-5016		SUS	Bto
MX250	74-79	DC423-5016		SUS	Bto
	80	DC423-5020	Nt	SUS	Bto
	81	DC423-5022	Nt	SUS	Bto
YZ250	82	DC423-5026	Nt	SUS	Bto
	88	DC423-5046		SUS	
	89-98	DC423-5048		SUS	
	99-19	DC423-5054	AL	SUS	
YZ250WR	89	DC423-5048		SUS	
	90	DC423-5046		SUS	
YZ250X	16-19	DC423-5057		AL	
YZ250 18inch Conversion	99-19	DC423-5057		AL	
MX360	73-74	DC423-5013	Nt	SUS	Bto
YZ360	74-75	DC423-5016		SUS	Bto
MX400	75	DC423-5016		SUS	Bto
YZ400	76-78	DC423-5016		SUS	Bto
YZ250F	01-08	DC423-5054	AL	SUS	
YZ250FX	09-19	DC423-5058	AL	SUS	
YZ250F	15-19	DC423-5057	AL	SUS	
YZ250F 18inch Conversion	01-08	DC423-5057	AL	SUS	
	09-19	DC423-5060	AL	SUS	
YZ400F	98	DC423-5048	SUS		
	99	DC423-5054	AL	SUS	
YZ426F	00-02	DC423-5054	AL	SUS	
YZ450F	03-08	DC423-5054	AL	SUS	
	09-19	DC423-5058	AL	SUS	
YZ450FX	15-19	DC423-5057	AL	SUS	
YZ400F/426F/450F 18inch Conversion	99-08	DC423-5057	AL	SUS	
YZ450F 18inch Conversion	09-19	DC423-5060	AL	SUS	
WR200	92	DC423-5046	SUS		
WR250Z	91-98	DC423-5046	SUS		
WR250F	01-19	DC423-5046	SUS		
	98	DC423-5046	SUS		
WR400F	99-00	DC423-5057	AL	SUS	
WR426F	01-02	DC423-5057	AL	SUS	
WR450F	03-19	DC423-5057	AL	SUS	
PW80	83-12	DC423-5202	SUS	Bto	
TTR90	00-04	DC423-5202	SUS	Bto	
TTR90E	03-07	DC423-5202	SUS	Bto	
TTR110E	08-19	DC423-5202	SUS	Bto	
TTR125	00-04	DC423-5120	SUS	Bto	
TTR125E	03-04	DC423-5120	SUS	Bto	
TTR125L	00-08	DC423-5121	SUS	Bto	
TTR125LE	03-19	DC423-5121	SUS	Bto	
TTR125LW	00-03	DC423-5121	SUS	Bto	
TTR125LWE	04-06	DC423-5121	SUS	Bto	
TTR225	95-87	DC423-5143	SUS	Bto	
	89-04	DC423-5150	SUS	Bto	
TTR230	05-11	DC423-5152	SUS	Bto	
TTR250	99-06	DC423-5046	SUS		
JT1	70	DC423-5081	SUS	Bto	
JT2(JT60)	71	DC423-5081	SUS	Bto	
JT2MX	72	DC423-5081	SUS	Bto	
FT1	70-71	DC423-5081	SUS	Bto	
FX50	72	DC423-5084	SUS	Bto	
GR50	74-75	DC423-5082	SUS	Bto	
GR80	74-75	DC423-5082	SUS	Bto	
MR50	72-76	DC423-5084	SUS	Bto	
	77-81	DC423-5083	SUS	Bto	
MR80	80-82	DC423-5082	SUS	Bto	
GT50	72-80	DC423-5082	SUS	Bto	
GT80	72-80	DC423-5082	SUS	Bto	
HT1	70	DC423-5091	SUS	Bto	
HT1M	71	DC423-5091	SUS	Bto	
HT90	71-73	DC423-5091	SUS	Bto	
AT1	69-70	DC423-5093	SUS	Bto	
AT125	71-73	DC423-5093	SUS	Bto	
AT1M	69-70	DC423-5093	SUS	Bto	
AT1MX	71	DC423-5093	SUS	Bto	
CT1	69-71	DC423-5093	SUS	Bto	
CT175/CT2 (CT175)	72-73	DC423-5093	SUS	Bto	
DT1(DT250) (DT1)(DT3)	68-70	DC423-5105	Nt	SUS	
	71-73	DC423-5107	Nt	SUS	Bto
	70	DC423-5105	Nt	SUS	Bto
DT1MX	71	DC423-5107	Nt	SUS	Bto
	72	DC423-5013	Nt	SUS	Bto
DT2MX	72	DC423-5107	Nt	SUS	Bto

STAINLESS SPOKE / NIPPLE SET

Nt	Narrow thread
SUS	Stainless Nipples
STL	Steel Nipples
AL	Aluminum Nipples
Bto	Built-to-order

HONDA (FRONT)						HONDA (FRONT)						HONDA (REAR)						HONDA (REAR)								
Bike	Year	Part #	Nt	Nipple	Bto	Bike	Year	Part #	Nt	Nipple	Bto	Bike	Year	Part #	Nt	Nipple	Bto	Bike	Year	Part #	Nt	Nipple	Bto			
CR80R	80	DC420-1128		SUS	Bto	XR250(MD30)	95-07	DC420-1116		SUS	Bto	CR80R	80-81	DC420-5012		SUS	Bto	XR185	79	DC420-5146		Nt	SUS	Bto		
	81	DC420-1004		SUS	Bto	XR250BAJA	95-04	DC420-1116		SUS	Bto		82	DC420-5005		SUS	Bto	XR230	05-13	DC420-5117		Nt	SUS	Bto		
	82	DC420-1005		SUS	Bto	XR250MOTARD	03-08	DC420-1303		SUS	Bto		83-84	DC420-5011		SUS	Bto	XR230MOTARD	08-13	DC420-5302		Nt	SUS	Bto		
	83-85	DC420-1006		SUS	Bto	XR400MOTARD	03-08	DC420-1303		SUS	Bto		85	DC420-5007		SUS	Bto	XR250	79-80	DC420-5023		Nt	SUS	Bto		
	86-02	DC420-1008		SUS	Bto		81-83	DC420-1029		Nt	SUS		Bto	86-91	DC420-5008		SUS	Bto		81-83	DC420-5161		Nt	SUS	Bto	
CR85R	03-07	DC420-1008		SUS	Bto	XR250R	84-89	DC420-1231		SUS	Bto	CR85R	92-02	DC420-5013		SUS	Bto	XR250R	84-85	DC420-5205		Nt	SUS	Bto		
CR80R2	96-02	DC420-1010		SUS	Bto		90-04	DC420-1233		SUS	Bto	CR80R2	03-07	DC420-5013		SUS	Bto		86-89	DC420-5213		Nt	SUS	Bto		
CR85R2	03-07	DC420-1010		SUS	Bto	XR250L(USA)	91-96	DC420-1116		SUS	Bto	CR85R2	96-02	DC420-5015		SUS	Bto		90-04	DC420-5214		Nt	SUS	Bto		
CR125M	73-75	DC420-1020		SUS	Bto	XR350R	83	DC420-1033		SUS	Bto	CR125M	03-07	DC420-5015		SUS	Bto	XR250(MD30)	95-04	DC420-5117		Nt	SUS	Bto		
	76-78	DC420-1021		SUS	Bto	XR400R	84-85	DC420-1231		SUS	Bto		73-78	DC420-5023		Nt	SUS	Bto	XR250BAJA	95-04	DC420-5117		Nt	SUS	Bto	
	79	DC420-1022		Nt	SUS	Bto	XR400R	96-06	DC420-1233		SUS	Bto		79-81	DC420-5024		Nt	SUS	Bto	XR250MOTARD	03-08	DC420-5302		Nt	SUS	Bto
	80	DC420-1023		SUS	Bto	XR500	79-80	DC420-1022		Nt	SUS	Bto		82	DC420-5025		Nt	SUS	Bto	XR250L(USA)	91-96	DC420-5169		Nt	SUS	Bto
	81	DC420-1024		Nt	SUS	Bto	XR500R	81-82	DC420-1029		Nt	SUS	Bto		83	DC420-5026		SUS	Bto	XR350R	83-85	DC420-5231		Nt	SUS	Bto
CR125R	82	DC420-1032		SUS	Bto		83-84	DC420-1231		SUS	Bto	CR125R	84	DC420-5027		SUS	Bto	XR400R	96-06	DC420-5214		Nt	SUS	Bto		
	83	DC420-1033		SUS	Bto		85-87	DC420-1231		SUS	Bto		85-86	DC420-5028		STL	Bto	XR400MOTARD	03-08	DC420-5302		Nt	SUS	Bto		
	84-87	DC420-1034		SUS	Bto	XR600R	88-00	DC420-1233		SUS	Bto		87	DC420-5054		STL	Bto	XR500	79-80	DC420-5159		Nt	SUS	Bto		
	88-91	DC420-1036		SUS	Bto	XR650L	93-12	DC420-1235		SUS	Bto		88	DC420-5029		SUS	Bto	XR500R	83-84	DC420-5231		Nt	SUS	Bto		
	92-94	DC420-1037		SUS	Bto	XR650R	00-07	DC420-1233		SUS	Bto		89	DC420-5030		SUS	Bto		85-87	DC420-5231		Nt	SUS	Bto		
CR250M	95-01	DC420-1038		SUS	Bto	XL400V TRANSALP	87-96	DC420-1371		SUS	Bto		90-91	DC420-5031		STL	Bto	XR600R	88-90	DC420-5234		Nt	SUS	Bto		
	02-07	DC420-1039		AL		XL600V TRANSALP	87-96	DC420-1371		SUS	Bto		92-93	DC420-5032		STL	Bto		91-00	DC420-5214		Nt	SUS	Bto		
	73-77	DC420-1026		Nt	SUS	Bto	XL700V TRANSALP	07-11	DC420-1373		SUS	Bto		94	DC420-5033		AL	Bto	XR650R	00-07	DC420-5214		Nt	SUS	Bto	
	78-80	DC420-1023		SUS	Bto	XR6V60	88	DC420-1371		SUS	Bto		95-96	DC420-5034		AL	Bto	XR650L	93-12	DC420-5214		Nt	SUS	Bto		
	81	DC420-1029		Nt	SUS	Bto	XR750 Africa Twin	90-00	DC420-1375		SUS	Bto		97-01	DC420-5035		STL	Bto	XL400V TRANSALP	91-96	DC420-5251		Nt	SUS	Bto	
CR250R	82	DC420-1032		SUS	Bto	NX650	88-89	DC420-1235		SUS	Bto	CR125/250R 18 inch Conversion	02-07	DC420-5036		AL		XL600V TRANSALP	87-91	DC420-5252		Nt	SUS	Bto		
	83	DC420-1033		SUS	Bto	GRF230MOTARD	09	DC420-1303		SUS	Bto	CR250M	73-77	DC420-5043		Nt	SUS	Bto	XR750 Africa Twin	07-11	DC420-5253		Nt	SUS	Bto	
	84-87	DC420-1034		SUS	Bto	CRF250L	12-19	DC420-1117		SUS	Bto		78-80	DC420-5044		Nt	SUS	Bto	GRV600	88	DC420-5247		Nt	SUS	Bto	
	88-91	DC420-1036		SUS	Bto	CRF250RALLY	17-19	DC420-1285		SUS	Bto		81	DC420-5045		Nt	SUS	Bto	XR750 Africa Twin	89-90	DC420-5249		Nt	SUS	Bto	
	92-94	DC420-1037		SUS	Bto	CRF250M	13-19	DC420-1304		SUS	Bto		82	DC420-5025		Nt	SUS	Bto	NX125	88-89	DC420-5244		Nt	SUS	Bto	
CR480R	95-01	DC420-1038		SUS	Bto	CRF1000L Africa Twin	16-19	DC420-1376		SUS	Bto		83	DC420-5046		SUS	Bto	NX650	88-89	DC420-5246		Nt	SUS	Bto		
	02-07	DC420-1039		AL		CRF1000L Africa Twin Adventure Sport	18-19	DC420-1376		SUS	Bto		84	DC420-5027		SUS	Bto	CRF230MOTARD	09	DC420-5302		Nt	SUS	Bto		
	81	DC420-1029		Nt	SUS	Bto	SL70	72-76	DC420-1127		SUS	Bto		87	DC420-5028		STL	Bto	CRF250L	12-19	DC420-5120		Nt	SUS	Bto	
	82	DC420-1032		SUS	Bto	SL90/DX	69-72	DC420-1130		SUS	Bto		88	DC420-5029		STL	Bto	CRF250RALLY	17-19	DC420-5120		Nt	SUS	Bto		
	83	DC420-1033		SUS	Bto		SL125	70	DC420-1130		SUS	Bto		89	DC420-5030		STL	Bto	CRF250M	13-19	DC420-5303		Nt	SUS	Bto	
CR500R	84-87	DC420-1034		SUS	Bto		SL250	71-74	DC420-1142		SUS	Bto	CR250R	87	DC420-5054		STL	Bto	CRF1000L AFRICATWIN	16-19	DC420-5250		Nt	SUS	Bto	
	88-91	DC420-1036		SUS	Bto		SL230	97-04	DC420-1116		SUS	Bto		88	DC420-5029		STL	Bto	CRF1000L Africa Twin Adventure Sport	18-19	DC420-5250		Nt	SUS	Bto	
	92-94	DC420-1037		SUS	Bto		SL250	72-74	DC420-1111		Nt	SUS	Bto		90-91	DC420-5031		STL	Bto	SL70	72-76	DC420-5107		Nt	SUS	Bto
	95-01	DC420-1038		SUS	Bto	CT250S SILKROAD	81-83	DC420-1271		Nt	SUS	Bto		92-94	DC420-5032		STL	Bto	SL90/DX	69-72	DC420-5108		Nt	SUS	Bto	
	07-19	DC420-1015		SUS	Bto	FT R223	00-16	DC420-1275		SUS	Bto		95-96	DC420-5034		STL	Bto	SL125	71-74	DC420-5110		Nt	SUS	Bto		
CRF150R2	07-19	DC420-1016		SUS	Bto	TL150	84	DC420-1285		SUS	Bto	CR480R	02-07	DC420-5036		AL		SL250	72-74	DC420-5116		Nt	SUS	Bto		
CRF250R	04-19	DC420-1039		AL		TLM200R	85-87	DC420-1286		SUS	Bto		81	DC420-5045		Nt	SUS	Bto	CT250S SILKROAD	81-83	DC420-5159		Nt	SUS	Bto	
CRF250X	04-17	DC420-1039		AL		TLM220R	88-93	DC420-1287		SUS	Bto		82	DC420-5025		Nt	SUS	Bto	FT R223	00-16	DC420-5155		Nt	SUS	Bto	
CRF450R	02-19	DC420-1039		AL		TL50	76	DC420-1290		SUS	Bto		83	DC420-5046		SUS	Bto	TLM230	84	DC420-5271		Nt	SUS	Bto		
CRF450X	05-19	DC420-1039		AL		TL125/S	73-76	DC420-1020		SUS	Bto		84	DC420-5027		SUS	Bto	TLM200R	85-87	DC420-5273		Nt	SUS	Bto		
CRF250R2	19	DC420-1039		AL		TL125S	81	DC420-1020		SUS	Bto		85-86	DC420-5028		STL	Bto	TLM220R	88-93	DC420-5273		Nt	SUS	Bto		
CRF450RX	17-19	DC420-1039		AL		TL125	83-87	DC420-1020		SUS	Bto		87-88	DC420-5054		STL	Bto	TL50	76	DC420-5278		Nt	SUS	Bto		
CRF450L	19	DC420-1039		AL		TL250	75-76	DC420-1020		SUS	Bto		91	DC420-5031		STL	Bto	TL125/S	73-76	DC420-5281		Nt	SUS	Bto		
XR70R	97-03	DC420-1131		SUS	Bto	TLR200	83-87	DC420-1294		SUS	Bto	CR500R	92-01	DC420-5032		STL	Bto	TL125S	81	DC420-5282		Nt	SUS	Bto		
XR75	73-78	DC420-1128		SUS	Bto	TLR250R	86	DC420-1286		SUS	Bto		07-19	DC420-5017		SUS	Bto	TL125	83-87	DC420-5285		Nt	SUS	Bto		
XR80	79-82	DC420-1128		SUS	Bto	CB50	71-72	DC420-2105		SUS	Bto	CRF150R	07-19	DC420-5019		SUS	Bto	TL250	75-76	DC420-5023		Nt	SUS	Bto		
	83	DC420-1129		SUS	Bto	CB50J	73-78	DC420-2106		SUS	Bto	CRF150R2	07-19	DC420-5019		SUS	Bto	TLR200	83	DC420-5285		Nt	SUS	Bto		
	84	DC420-1132		SUS	Bto	CB50JX	73-78	DC420-2106		SUS	Bto	CRF250R	04-19	DC420-5036		AL		TLR250R	86	DC420-5287		Nt	SUS	Bto		
	85-03	DC420-1135		SUS	Bto	CB50S	80-81	DC420-2106		SUS	Bto	Conversion	04-19	DC420-5216		AL		CB50	71-72	DC420-5105		Nt	SUS	Bto		
	81-82	DC420-1137		SUS	Bto	CB90	70-72	DC420-2132		SUS	Bto	CRF250R 18inch	04-19	DC420-5216		AL		CB50JX	73-78	DC420-5121		Nt	SUS	Bto		
XR100	83-84	DC420-1138		SUS	Bto	CB90JX	72-74	DC420-2133		SUS	Bto	CRF450R	02-19	DC420-5036		AL		CB50S	80-81	DC420-5121		Nt	SUS	Bto		
XR100R	85-03	DC420-1139		SUS	Bto																					

STAINLESS SPOKE / NIPPLE SET

Nt	Narrow thread
SUS	Stainless Nipples
STL	Steel Nipples
AL	Aluminum Nipples
Bto	Built-to-order

KAWASAKI (FRONT)				
Bike	Year	Part #	Nipple	Bto
KX60	83-03	DC421-1002	SUS	Bto
KX65	00-19	DC421-1006	SUS	Bto
	79-80	DC421-1010	SUS	Bto
KX80	81-82	DC421-1011	SUS	Bto
	84-85	DC421-1013	SUS	Bto
	86-97	DC421-1014	SUS	Bto
	98-00	DC421-1015	SUS	Bto
KX85	01-19	DC421-1015	SUS	Bto
KX80 II	87-97	DC421-1020	SUS	Bto
KX85 II	98-00	DC421-1022	SUS	Bto
	01-19	DC421-1022	SUS	Bto
KX100	95-97	DC421-1020	SUS	Bto
	98-19	DC421-1022	SUS	Bto
	74-77	DC421-1031	SUS	Bto
	78-79	DC421-1034	SUS	Bto
	80-81	DC421-1036	SUS	Bto
	82	DC421-1038	SUS	Bto
	83	DC421-1039	SUS	Bto
	84	DC421-1041	SUS	Bto
	85	DC421-1043	SUS	Bto
	86-88	DC421-1045	SUS	Bto
	89-98	DC421-1047	SUS	Bto
	99-05	DC421-1049	AL	Bto
	06-08	DC421-1052	AL	Bto
	74	DC421-1032	SUS	Bto
	80-81	DC421-1037	SUS	Bto
	82	DC421-1038	SUS	Bto
	83	DC421-1039	SUS	Bto
	84	DC421-1041	SUS	Bto
	85	DC421-1043	SUS	Bto
	86-88	DC421-1045	SUS	Bto
	89-98	DC421-1047	SUS	Bto
	99-04	DC421-1049	AL	Bto
	05	DC421-1051	AL	Bto
	06-08	DC421-1052	AL	Bto
KX420	80-82	DC421-1032	SUS	Bto
KX450	73	DC421-1033	SUS	Bto
	84	DC421-1041	SUS	Bto
	85	DC421-1043	SUS	Bto
	86-88	DC421-1045	SUS	Bto
	89-04	DC421-1047	SUS	Bto
	04-05	DC421-1051	AL	Bto
	06-18	DC421-1052	AL	Bto
KX250F	19	DC421-1052	AL	Bto
KX250	06-18	DC421-1052	AL	Bto
KX450F	19	DC421-1052	AL	Bto
KX450	19	DC421-1052	AL	Bto
KD80	75-87	DC421-1075	SUS	Bto
KD100	76-77	DC421-1075	SUS	Bto
KD125	75-79	DC421-1031	SUS	Bto
KD175	76-79	DC421-1031	SUS	Bto
KE100	76-01	DC421-1079	SUS	Bto
KE125	76-82	DC421-1031	SUS	Bto
	76-78	DC421-1031	SUS	Bto
KE175	80-83	DC421-1142	SUS	Bto
KE250	77-79	DC421-1141	SUS	Bto
KM100(90)	76-81	DC421-1075	SUS	Bto
KMX125	86-89	DC421-1102	SUS	Bto
KMX125(USA)	99-01	DC421-1102	SUS	Bto
KMX200	87-91	DC421-1103	SUS	Bto
KDX125SR	90-99	DC421-1107	SUS	Bto
KDX175	80-82	DC421-1036	SUS	Bto
KDX200C	86-88	DC421-1045	SUS	Bto
	89	DC421-1045	SUS	Bto
KDX200R	90	DC421-1107	SUS	Bto
	89	DC421-1045	SUS	Bto
KDX200SR	90-93	DC421-1107	SUS	Bto
	89-92	DC421-1045	SUS	Bto
KDX200 (USA)	93-06	DC421-1107	SUS	Bto
KDX220R	94-05	DC421-1107	SUS	Bto
KDX220SR	94-99	DC421-1107	SUS	Bto
KDX250	80-01	DC421-1037	SUS	Bto
KDX250R	91-95	DC421-1107	SUS	Bto
KDX250SR	91-94	DC421-1107	SUS	Bto
KDX400	79-80	DC421-1037	SUS	Bto
KDX420	81	DC421-1037	SUS	Bto
KDX450	82	DC421-1037	SUS	Bto
KL250	78-79	DC421-1141	SUS	Bto
KL600	80-84	DC421-1121	SUS	Bto
KL650 TENGA	84-86	DC421-1251	SUS	Bto
	90-91	DC421-1253	SUS	Bto

KAWASAKI (FRONT)				
Bike	Year	Part #	Nt	Nipple
KL250 ANHELO	93-95	DC421-1103	Nt	SUS
KL400	91-99	DC421-1253		SUS
KL500	05	DC421-1253		SUS
KL650	84-96	DC421-1144	Nt	SUS
KL250(USA)	97-05	DC421-1144	Nt	SUS
KL600	84-86	DC421-1251		SUS
	87-07	DC421-1253		SUS
	08-10	DC421-1256		SUS
KLX110	02-09	DC421-1002		SUS
KLX110L	10-17	DC421-1002		SUS
KLX125	10-16	DC421-1023		SUS
KLX150S	09-12	DC421-1023		SUS
KLX150BF	16	DC421-1027		SUS
KLX250	79-80	DC421-1036		SUS
KLX250R	93-95	DC421-1107		SUS
KLX250R(USA)	94-96	DC421-1107		SUS
KLX250SR	93-94	DC421-1107		SUS
KLX250ES	95-97	DC421-1237		SUS
KLX250	94-97	DC421-1237		SUS
KLX250	98-16	DC421-1237		SUS
KLX250S(USA)	06-09	DC421-1237		SUS
KLX250SF(USA)	09	DC421-1286		SUS
KLX300R	96-07	DC421-1107		SUS
KLX450R	08-19	DC421-1052		AL
KLX650/R	93-96	DC421-1107		SUS
D-TRACKER125	10-16	DC421-1281		SUS
D-TRACKER	98-07	DC421-1286		SUS
D-TRACKERX	08-16	DC421-1286		SUS
A650	81	DC421-1071		SUS
A680	81	DC421-1071		SUS
90TR(G5)	72-75	DC421-1079		SUS
90TRTRAILBOSS	70-71	DC421-1078		SUS
G4TR				
C2SS/ROADRUNNER	67-69	DC421-1078		SUS
125TRBOBCAT F6	71-73	DC421-1081		SUS
F7(175TR)	71-75	DC421-1085		SUS
F8BISON 250TR	71-72	DC421-1088		SUS
250TR BISONF11	73-76	DC421-1089	Nt	SUS
250TR	02-14	DC421-1275		SUS
350TRBIGHONE F5	72	DC421-1093	Nt	SUS
350TRBIGHONE F9	73	DC421-1093	Nt	SUS
K1250	75-76	DC421-1031		SUS
SUPERSHERPA	97-08	DC421-1239		SUS
KL250				
VERSYS-X250ABS	17-18	DC421-1295		SUS
250A1/S/SS/SPECIAL	66-71	DC421-2125		SUS
250SS	72-75	DC421-2125		SUS
350A7/SS/AVENGER/SPECIAL	67-71	DC421-2125		SUS
350SS	71-72	AL 121-2125		SUS
400SS	73	AL 121-2142	Nt	SUS
	74-75	AL 121-2142	Nt	SUS
	69-71	AL 121-2145	Nt	SUS
500SS	72-75	AL 121-2147	Nt	SUS
750SS	71-73	AL 121-2147	Nt	SUS
750H2	74	DC421-2147	Nt	SUS
KC90	77	DC421-2102		SUS
KH125	77	DC421-2104		SUS
KH400	76-82	DC421-2142	Nt	SUS
KH500	76	DC421-2155	Nt	SUS
650W2SS/W2TT	68-69	DC421-2151		SUS
650W1S/SA	70-71	DC421-2151		SUS
400RS	74-75	DC421-2142	Nt	SUS
650RS (W3)	73-74	DC421-2147	Nt	SUS
750RS	74-75	DC421-2147	Nt	SUS
Z750TWIN	76	DC421-2155	Nt	SUS
Z200	77-79	DC421-2102	Nt	SUS
Z400	76-79	DC421-2142	Nt	SUS
Z650FOUR	76-77	DC421-2155	Nt	SUS
Z650	78-79	DC421-2155	Nt	SUS
Z750FOUR	76-79	DC421-2155	Nt	SUS
900SUPER4	72-73	DC421-2147	Nt	SUS
900Z1	74-75	DC421-2147	Nt	SUS
KZ1000	77	DC421-2155	Nt	SUS
Z1000	78-79	DC421-2155	Nt	SUS
ESTRELLA	92-16	DC421-2130		SUS
ESTRELLA RS/RS LE	95-06	DC421-2130		SUS
ESTRELLA RS CUSTOM	96-06	DC421-2132		SUS
ESTRELLA RS CUSTOM	96-99	DC421-2132		SUS
W400	06-08	DC421-2149		SUS
W650	99-08	DC421-2149		SUS
W800	11-16	DC421-2149		SUS
ZEPHYR750RS	96-03	DC421-2158		SUS
ZEPHYR1100RS	96-03	DC421-2161		SUS

KAWASAKI (REAR)					
Bike	Year	Part #	Nt	Nipple	Blc
KX60	83-03	DC421-5002		SUS	Bto
KX65	00-19	DC421-5004		SUS	Bto
	79	DC421-5011		SUS	Bto
	80	DC421-5012		SUS	Bto
KX80	81-82	DC421-5013		SUS	Bto
	83-85	DC421-5014		SUS	Bto
	86-87	DC421-5016		SUS	Bto
	88-97	DC421-5018		SUS	Bto
	98-00	DC421-5020		SUS	Bto
KX85	01-19	DC421-5028		SUS	Bto
KX80 II	88-97	DC421-5019		SUS	Bto
	98-00	DC421-5021		SUS	Bto
KX85 II	01-19	DC421-5021		SUS	Bto
	98-99	DC421-5019		SUS	Bto
KX100	98-19	DC421-5021		SUS	Bto
	74-77	DC421-5041		SUS	Bto
	78-79	DC421-5044		SUS	Bto
	80-81	DC421-5048		SUS	Bto
	82	DC421-5050		SUS	Bto
	84	DC421-5053		SUS	Bto
KX125	85	DC421-5056		SUS	Bto
	86-87	DC421-5059		SUS	Bto
	88	DC421-5061	STL		Bto
	89-98	DC421-5062	STL		Bto
	99-02	DC421-5063	AL		Bto
	03-08	DC421-5065	AL		Bto
KX125 18inch Conversion	03-08	DC421-5231	AL		Bto
	74	DC421-5042	SUS		Bto
	78-79	DC421-5045	SUS		Bto
	80-81	DC421-5049	SUS		Bto
	82-83	DC421-5050	SUS		Bto
KX250	85	DC421-5058	SUS		Bto
	86-87	DC421-5059	SUS		Bto
	88	DC421-5061	STL		Bto
	89-98	DC421-5062	STL		Bto
	99-02	DC421-5063	AL		Bto
	03-08	DC421-5065	AL		Bto
KX250 18inch Conversion	03-08	DC421-5231	AL		Bto
KX420	80-82	DC421-5049	SUS		Bto
KX450	74	DC421-5042	SUS		Bto
	83	DC421-5050	SUS		Bto
	85	DC421-5058	SUS		Bto
KX500	86-87	DC421-5059	SUS		Bto
	88	DC421-5061	STL		Bto
	89-04	DC421-5062	STL		Bto
KX250F	04-18	DC421-5065	AL		Bto
KX250F 18inch Conversion	04-18	DC421-5231	AL		Bto
KX250	19	DC421-5065	AL		Bto
KX250 18inch Conversion	19	DC421-5231	AL		Bto
KX450F	06-18	DC421-5065	AL		Bto
KX450F 18inch Conversion	06-18	DC421-5231	AL		Bto
KX450	19	DC421-5065	AL		Bto
KX450 18inch Conversion	19	DC421-5231	AL		Bto
KD80	75-87	DC421-5105	SUS		Bto
KD100	76-77	DC421-5105	SUS		Bto
KD125	75-79	DC421-5041	SUS		Bto
KD175	76-79	DC421-5041	SUS		Bto
KE100	82-01	DC421-5040	SUS		Bto
KE125	76-82	DC421-5041	SUS		Bto
KE175	76-78	DC421-5041	SUS		Bto
KM100(90)	76-81	DC421-5105	SUS		Bto
KMX125	86-89	DC421-5130	SUS		Bto
KMX125(USA)	99-01	DC421-5130	SUS		Bto
KMX200	87-91	DC421-5132	SUS		Bto
	80-83	DC421-5012	SUS		Bto
KDX80	84-88	DC421-5010	SUS		Bto
KDX125SR	90-99	DC421-5142	SUS		Bto
KDX175	80-82	DC421-5048	SUS		Bto
	84	DC421-5053	SUS		Bto
KDX200	85	DC421-5056	SUS		Bto
KDX200C	86-88	DC421-5150	SUS		Bto
KDX200R	89-90	DC421-5149	SUS		Bto
KDX200SR	89-93	DC421-5062	STL		Bto
KDX200(USA)	89-06	DC421-5142	SUS		Bto
KDX220R	94-05	DC421-5142	SUS		Bto
KDX220SR	94-99	DC421-5142	SUS		Bto
	80	DC421-5049	SUS		Bto
	82	DC421-5045	SUS		Bto
	83	DC421-5050	SUS		Bto
	85-94	DC421-5157	STL		Bto
KDX250R	91-95	DC421-5157	STL		Bto
	91	DC421-5157	STL		Bto
KDX250SR	92-94	DC421-5142	SUS		Bto
	78-79	DC421-5190	SUS		Bto
KL250	80-84	DC421-5191	NT		Bto
KL600	84-86	DC421-5211	SUS		Bto
KL650TENGAII	90-91	DC421-5214	SUS		Bto

STAINLESS SPOKE / NIPPLE SET

Nt	Narrow thread
SUS	Stainless Nipples
STL	Steel Nipples
AL	Aluminum Nipples
Bto	Built-to-order

SUZUKI (FRONT)					
Bike	Year	Part #	Nt	Nipple	Bto
RM50	78-80	DC422-1002		SUS	Bto
RM60	79-83	DC422-1002		SUS	Bto
TM75	74-76	DC422-1011		SUS	Bto
	77-78	DC422-1011		SUS	Bto
	79	DC422-1012		SUS	Bto
RM80	80-81	DC422-1013		SUS	Bto
	82-85	DC422-1014		SUS	Bto
	86-01	DC422-1015		SUS	Bto
RM85	02-03	DC422-1016		SUS	Bto
	04-17	DC422-1017		SUS	Bto
RM80L	95-01	DC422-1016		SUS	Bto
RM85L	02-03	DC422-1016		SUS	Bto
TM125	04-17	DC422-1018		SUS	Bto
	73-75	DC422-1022		SUS	Bto
	75-76	DC422-1023		SUS	Bto
	77	DC422-1024	Nt	SUS	Bto
	78	DC422-1025	Nt	SUS	Bto
	79-80	DC422-1026	Nt	SUS	Bto
RM125	81-84	DC422-1030		SUS	Bto
	86-96	DC422-1035		AL	
	97-00	DC422-1036		AL	Bto
	01-08	DC422-1035		AL	
TM250	72-75	DC422-1023		SUS	Bto
	76	DC422-1024		SUS	Bto
	77	DC422-1025	Nt	SUS	Bto
	78	DC422-1025	Nt	SUS	Bto
	79	DC422-1027		SUS	Bto
RM250	80	DC422-1028	Nt	SUS	Bto
	81-82	DC422-1031		SUS	Bto
	83-84	DC422-1030		SUS	Bto
	86-96	DC422-1035		AL	
	97-00	DC422-1036		AL	Bto
	01-08	DC422-1035		AL	
RM370	76-77	DC422-1023		SUS	Bto
TM400	71-75	DC422-1023		SUS	Bto
	78	DC422-1025	Nt	SUS	Bto
RM400	79	DC422-1027		SUS	Bto
	80	DC422-1028	Nt	SUS	Bto
RM465	81-82	DC422-1031		SUS	Bto
RM500	83-84	DC422-1030		SUS	Bto
RMZ250	04-06	DC422-1051		AL	Bto
RMZ450	07-19	DC422-1042		AL	
RMX450Z	05-19	DC422-1042		AL	
	10-17	DC422-1042		AL	
DRZ125L	03	DC422-1122		SUS	Bto
	04-09	DC422-1124		SUS	Bto
DS90	78-79	DC422-1002		SUS	Bto
CM50 MINICRO	76-77	DC422-1011		SUS	Bto
CM75 MINICRO	76	DC422-1011		SUS	Bto
CM50 MINITAN	78	DC422-1061		SUS	Bto
TC90	69-70	DC422-1081		SUS	Bto
TC100	73-75	DC422-1082		SUS	Bto
TC120	71	DC422-1081		SUS	Bto
	72-73	DC422-1082		SUS	Bto
TC125	73-77	DC422-1012		SUS	Bto
	78	DC422-1068		SUS	Bto
TS50	79-82	DC422-1082		SUS	Bto
TS50W	83-97	DC422-1069		SUS	Bto
TS75	75-77	DC422-1011		SUS	Bto
TS90	69-70	DC422-1081		SUS	Bto
	70-72	DC422-1082		SUS	Bto
TS125	73-75	DC422-1087		SUS	Bto
	76-81	DC422-1088		SUS	Bto
	89	DC422-1037		SUS	Bto
TS125R	90-97	DC422-1109		SUS	Bto
	71-73	DC422-1082		SUS	Bto
TS185	74-75	DC422-1087		SUS	Bto
	78-81	DC422-1088		SUS	Bto
	89	DC422-1037		SUS	Bto
TS200R	90-96	DC422-1109		SUS	Bto
	69-70	DC422-1095		SUS	Bto
	71-73	DC422-1096		SUS	Bto
TS250	74-76	DC422-1097		SUS	Bto
	77-83	DC422-1098		SUS	Bto

SUZUKI (FRONT)					
Bike	Year	Part #	Nt	Nipple	Bto
TS400	72-73	DC422-1096		SUS	Bto
	74-77	DC422-1097		SUS	Bto
SP125	82-88	DC422-1130		SUS	Bto
SP200	86-88	DC422-1130		SUS	Bto
SP250	82-84	DC422-1133		SUS	Bto
	85	DC422-1037		SUS	Bto
SP370	78	DC422-1098		SUS	Bto
SP400	80	DC422-1098		SUS	Bto
SP500	81-84	DC422-1028		SUS	Bto
SP600	85	DC422-1037		SUS	Bto
SP125R	85-91	DC422-1130		SUS	Bto
SX200R	85-91	DC422-1130		SUS	Bto
RA125	84-88	DC422-1108		SUS	Bto
RH250	84-88	DC422-1037		SUS	Bto
RMX250R(JAP)	93-98	DC422-1035		AL	
RMX250R(USA)	99-98	DC422-1035		AL	
RMX250S	92-98	DC422-1037		SUS	Bto
DF200E	97	DC422-1130		SUS	Bto
DF200SE	96-09	DC422-1130		SUS	Bto
DJEBEL125SE	93-00	DC422-1130		SUS	Bto
DJEBEL200SE	94-06	DC422-1130		SUS	Bto
DJEBEL DR250RX	95-05	DC422-1035		AL	
DR125S	82-84	DC422-1131		SUS	Bto
RMX250R(USA)	86-88	DC422-1130		SUS	Bto
DR200(USA)	86-88	DC422-1130		SUS	Bto
	82	DC422-1133		SUS	Bto
DR250S	90-94	DC422-1109		SUS	Bto
DR250SH	90-91	DC422-1109		SUS	Bto
DR250SHE	91-92	DC422-1109		SUS	Bto
DR250SE	90-95	DC422-1109		SUS	Bto
DR250R	95-00	DC422-1035		AL	
DR250(USA)	85	DC422-1037		SUS	Bto
DR350S	90-99	DC422-1109		SUS	Bto
DR350SE	90-99	DC422-1109		SUS	Bto
DR650S	90-91	DC422-1109		SUS	Bto
DR650SE	92-11	DC422-1038		SUS	Bto
DRZ250	01-07	DC422-1035		AL	
DRZ400	00-04	DC422-1036		AL	Bto
DRZ400E	00-07	DC422-1036		AL	Bto
DRZ400S	00-08	DC422-1137		AL	Bto
DRZ400SM	05-08	DC422-1206		AL	Bto
DRZ400SM(USA)	05-17	DC422-1206		AL	Bto
250SB	02-06	DC422-1205		SUS	Bto
GRASSTRACKER TU250G	00-16	DC422-1311		SUS	Bto
GRASSTRAKER	01-16	DC422-1312		SUS	Bto
BIGBOY TU250GB	01-16	DC422-1312		SUS	Bto
RL250	74-75	DC422-1231		SUS	Bto
VANVAN RV200	02-16	DC422-1300		SUS	Bto
V-STROM650XT	16-17	DC422-1320	Nt	SUS	Bto
T20	65-69	DC422-2111		SUS	Bto
T250	66-72	DC422-2111		SUS	Bto
T350	69-72	DC422-2111		SUS	Bto
T600	68-75	DC422-2121		SUS	Bto
GT185	75-77	DC422-2105		SUS	Bto
GT250	72-77	DC422-2112	Nt	SUS	Bto
GT350	71	DC422-2112	Nt	SUS	Bto
GT380	72	DC422-2122		SUS	Bto
	73-78	DC422-2123	Nt	SUS	Bto
GT500	71-75	DC422-2121		SUS	Bto
	76-77	DC422-2123	Nt	SUS	Bto
GT550	72-77	DC422-2123	Nt	SUS	Bto
GT750	72-77	DC422-2123	Nt	SUS	Bto
RE5	74-76	DC422-2123	Nt	SUS	Bto
RG50	77-78	DC422-2103		SUS	Bto
WOLF T125	69	DC422-2108		SUS	Bto
GP125	78-83	DC422-2105		SUS	Bto
GS250	80-81	DC422-2112	Nt	SUS	Bto
GS400	76-78	DC422-2112	Nt	SUS	Bto
GS500	77-79	DC422-2123	Nt	SUS	Bto
GS750	76-79	DC422-2123	Nt	SUS	Bto
VOLTY	94-04	DC422-2115	Nt	SUS	Bto
ST250	04-06	DC422-2117		SUS	Bto
ST250/E	07-15	DC422-2116	Nt	SUS	Bto

SUZUKI (REAR)					
Bike	Year	Part #	Nt	Nipple	Bto
RM50	78-80	DC422-5002		SUS	Bto
RM60	79-83	DC422-5002		SUS	Bto
TM75	74-76	DC422-5006		SUS	Bto
	77-81	DC422-5006		SUS	Bto
	82-89	DC422-5008		SUS	Bto
RM80	90	DC422-5009		SUS	Bto
	91-01	DC422-5010		SUS	Bto
RM85	02-03	DC422-5010		SUS	Bto
	04-17	DC422-5012		SUS	Bto
RM80L	95-01	DC422-5011		SUS	Bto
RM85L	02-03	DC422-5011		SUS	Bto
TM100	04-17	DC422-5013		SUS	Bto
	75	DC422-5020		SUS	Bto
	76-77	DC422-5020		SUS	Bto
RM100(USA)	78	DC422-5028		SUS	Bto
	79-80	DC422-5029	Nt	SUS	Bto
TM125	73-75	DC422-5002		SUS	Bto
	76	DC422-5020		SUS	Bto
	77-77	DC422-5024		SUS	Bto
	78	DC422-5028		SUS	Bto
	79-80	DC422-5029	Nt	SUS	Bto
RM125	81-85	DC422-5035		SUS	Bto
	86-87	DC422-5039		AL	Bto
	88	DC422-5042		AL	Bto
	89	DC422-5043	Nt	AL	Bto
	90-08	DC422-5044		AL	
RM125 18inch Conversion	90-08	DC422-5042		AL	
TM250	72-73	DC422-5023		SUS	Bto
	74-75	DC422-5025		SUS	Bto
	76-78	DC422-5027	Nt	SUS	Bto
	79	DC422-5002		SUS	Bto
	80	DC422-5033	Nt	SUS	Bto
RM250	81-83	DC422-5035		SUS	Bto
	84-85	DC422-5037		SUS	Bto
	86	DC422-5040		AL	Bto
	88-89	DC422-5042		AL	Bto
	90-08	DC422-5044		AL	
RM250 18inch Conversion	90-08	DC422-5042		AL	
RM370	76-77	DC422-5027	Nt	SUS	Bto
TM400	71-75	DC422-5025		SUS	Bto
RM400	78	DC422-5027	Nt	SUS	Bto
RMZ250	04-06	DC422-5052		AL	Bto
	07-19	DC422-5053		AL	
RMZ250 18inch Conversion	07-19	DC422-5065		AL	
RMZ450	05-19	DC422-5053		AL	
RMZ450 18inch Conversion	05-19	DC422-5065		AL	
RMX450Z	10-17	DC422-5065		AL	
DRZ125L	03	DC422-5112		SUS	Bto
	04-09	DC422-5114		SUS	Bto
JR80	01-04	DC422-5002		SUS	Bto
DS80	78-00	DC422-5002		SUS	Bto
CM50/75 MINICRO	76-77	DC422-5078		SUS	Bto
CM50 MINITAN	78	DC422-5006		SUS	Bto
TC90	69-71	DC422-5079		SUS	Bto
TC100	73-74	DC422-5081		SUS	Bto
	75-77	DC422-5083		SUS	Bto
TC120	71	DC422-5079		SUS	Bto
TC125	72-74	DC422-5081		SUS	Bto
	75-77	DC422-5083		SUS	Bto
TC185	74	DC422-5081		SUS	Bto
	75-77	DC422-5083		SUS	Bto
TS50	71-82	DC422-5071		SUS	Bto
	83-87	DC422-5075		SUS	Bto
TS50W	88-97	DC422-5076		SUS	Bto
TS75	75-77	DC422-5006		SUS	Bto
	78-79	DC422-5079		SUS	Bto
TS90	72-73	DC422-5081		SUS	Bto
	74-75	DC422-5083		SUS	Bto
TS100	75-79	DC422-5083		SUS	Bto
TS100(USA)	80-81	DC422-5083		SUS	Bto
	70-72	DC422-5081		SUS	Bto
TS125	73-79	DC422-5083		SUS	Bto
	80-81	DC422-5082		SUS	Bto

SUZUKI

SPOKE BENDER

You can make your own spokes!

By processing blank spokes (straight spokes without bends), you can create one-off spokes such as discontinued models that are difficult to find stock parts for and rim size changes.

More than 200 kinds of spoke lengths are set from four wire diameters of 2.9 mm / 3.2 mm / 3.5 mm / 4.0 mm to correspond to various models. We will further expand the lineup of blank spokes in the future!



P1010 SPOKE BENDER


- Spoke bender makes your desired spoke bends.
- Cross handles on both hands, to easily bend spokes.
- Easy to set spoke on bender. It can be finely adjusted to spoke size and bend angle.
- Length adjuster holds spoke at bending area.
- Angle hold adjuster.

Color : Black
Material : Steel
Folding : W330 x D60 x H90 (mm)
Weight : 1.46 kg



BLANK STAINLESS SPOKE

- Base spokes for bending to the required spoke angle using spoke bender.
- To accommodate various models line-up length in 2 mm increments.
- Made of stainless steel, and is resistant to rust and offers a fine quality texture not found in plating.




Please put spoke outer diameter part number (mm) to *: 2.3 mm (3) / 3.2 mm (4) / 3.5 mm (5) / 4.0 mm (6)

Size	Part #	Spoke outer diameter (mm)			
		2.3 (3)	3.2 (4)	3.5 (5)	4.0 (6)
80	DC432-080	3	-	-	-
82	DC432-082	3	-	-	-
84	DC432-084	3	-	-	-
86	DC432-086	3	-	-	-
88	DC432-088	3	-	-	-
90	DC432-090	3	-	-	-
92	DC432-092	3	-	-	-
94	DC432-094	3	-	-	-
96	DC432-096	3	-	-	-
98	DC432-098	3	-	-	-
100	DC432-100	3	4	5	6
102	DC432-102	3	4	5	6
104	DC432-104	3	4	5	6
106	DC432-106	3	4	5	6
108	DC432-108	3	4	5	6
110	DC432-110	3	4	5	6
112	DC432-112	3	4	5	6
114	DC432-114	3	4	5	6
116	DC432-116	3	4	5	6
118	DC432-118	3	4	5	6
120	DC432-120	3	4	5	6
122	DC432-122	3	4	5	6
124	DC432-124	3	4	5	6
126	DC432-126	3	4	5	6
128	DC432-128	3	4	5	6
130	DC432-130	3	4	5	6
132	DC432-132	3	4	5	6
134	DC432-134	3	4	5	6
136	DC432-136	3	4	5	6
138	DC432-138	3	4	5	6
140	DC432-140	3	4	5	6
142	DC432-142	3	4	5	6
144	DC432-144	3	4	5	6
146	DC432-146	3	4	5	6
148	DC432-148	3	4	5	6
150	DC432-150	3	4	5	6
152	DC432-152	3	4	5	6
154	DC432-154	3	4	5	6
156	DC432-156	3	4	5	6
158	DC432-158	3	4	5	6
160	DC432-160	3	4	5	6
162	DC432-162	3	4	5	6
164	DC432-164	3	4	5	6
166	DC432-166	3	4	5	6
168	DC432-168	3	4	5	6

Size	Part #	Spoke outer diameter (mm)			
		2.3 (3)	3.2 (4)	3.5 (5)	4.0 (6)
170	DC432-170	3	4	5	6
172	DC432-172	3	4	5	6
174	DC432-174	3	4	5	6
176	DC432-176	3	4	5	6
178	DC432-178	3	4	5	6
180	DC432-180	3	4	5	6
182	DC432-182	3	4	5	6
184	DC432-184	3	4	5	6
186	DC432-186	3	4	5	6
188	DC432-188	3	4	5	6
190	DC432-190	3	4	5	6
192	DC432-192	3	4	5	6
194	DC432-194	3	4	5	6
196	DC432-196	3	4	5	6
198	DC432-198	3	4	5	6
200	DC432-200	3	4	5	6
202	DC432-202	3	4	5	6
204	DC432-204	3	4	5	6
206	DC432-206	3	4	5	6
208	DC432-208	3	4	5	6
210	DC432-210	3	4	5	6
212	DC432-212	3	4	5	6
214	DC432-214	3	4	5	6
216	DC432-216	3	4	5	6
218	DC432-218	3	4	5	6
220	DC432-220	3	4	5	6
222	DC432-222	3	4	5	6
224	DC432-224	3	4	5	6
226	DC432-226	3	4	5	6
228	DC432-228	3	4	5	6
230	DC432-230	3	4	5	6
232	DC432-232	3	4	5	6
234	DC432-234	3	4	5	6
236	DC432-236	3	4	5	6
238	DC432-238	3	4	5	6
240	DC432-240	3	4	5	6
242	DC432-242	3	4	5	6
244	DC432-244	3	4	5	6
246	DC432-246	3	4	5	6
248	DC432-248	3	4	5	-
250	DC432-250	3	4	5	-
252	DC432-252	-	4	5	-
254	DC432-254	-	4	5	-
256	DC432-256	-	4	5	-
258	DC432-258	-	4	5	-

STAINLESS NIPPLE

- Made of stainless steel, and is resistant to rust and offers a fine quality texture not found in plating.
- Nipple packed per 10 pcs.



Part #	Screw	Outer diameter (mm)
DC436-10A1S	BC2.9	5.0
DC436-10B1S	BC2.9	5.8
DC436-10B2S	BC3.2	5.8
DC436-10B3S	BC3.5	5.8
DC436-10D1S	BC2.9	6.6
DC436-10D2S	BC3.2	6.6
DC436-10D3S	BC3.5	6.6
DC436-10F3S	BC3.5	7.1
DC436-10F4S	BC4.0	7.1

P432x SPOKE WRENCH

- It works for different nipple sizes with the front and rear wheels as well, designed to an easy-to-use length matched to the nipple.
- It cuts 6 mm thickness steel material with high precision wire cut, and it is hardly strip screw thread even at a high load.
- It fits also to Z-WHEEL aluminum nipple and EXCEL spline nipple.

Color : Black
Material : Steel

	Part #	Nipple Size (mm)	Length (mm)	Approximate
A	P4321	4.4 / 5.0	130	CRF125F '14-19, YZ65 '18, XTZ125 '03-17
B	P4322	5.6 / 5.8	130	CR85R/R2 '03-07, CRF150R/R2 '07-19, CRF250L/M '12-19, CRF250RALLY '17-19, YZ85/LW '02-19, TRICKER '04-18, XT250X '06-17, RM85/L '04-17
C	P4323	5.6 / 6.0	130	CRF1000L AFRICA TWIN '16-17, WR250R/X '07-17, KX85/2 '01-17, KX100 '98-17, KLX125 10-16, KLX125 '10-16, KLX250 '98-16, D-TRACKER/X '98-16
D	P4325	6.0 / 6.6	150	CR125R/250R '02-07, CRF250R '04-19, CRF450R '02-19, CRF250R '04-19, CRF450R '04-19, CRF450R '05-19, KX125 '06-08, KX250 '05-08, KX250F '04-18, KX250 '19, KX450F '06-18, KX450 '19, KLX450R '08-19, RMZ250 '04-06
E	P4326	6.2 / 6.6	150	YZ125/250 '99-19, YZ250F '01-19, YZ450F '03-19, YZ125X '17-19, YZ250X '16-19, YZ250FX '15-19, YZ450FX '16-18, WR250F '02-19, WR450F '03-19, RMZ250 '07-18, RMZ450 '05-19, DRZ400S '00-08, DRZ400SM '05-08, Z-WHEEL AR1 WHEEL SET
F	P4328	7.0 / EXCEL	150	SX/SX-F/EXC/EXC-F/XC/XC-F/ENDURO 85-690 '09-20, FREERIDE250F '18-19, FREERIDE250R '14-17, FREERIDE350 '12-17, FREERIDE E-XC '15-19, TC/FC/TE/FE/TF/FX 85-501 '14-20, EXCEL SPLINE NIPPLE




YouTube

UNIT MOTORCYCLE PRODUCTS

P2710 BRAKE PAD SPREADER

- Special tool to slide between a set of pads to make space.
- Works with most brake calipers.

Color : Black
Material : Steel
Size : 160 x 50 x 20 mm
Weight : 147 g





FRONT STEEL SPROCKET

- Front sprockets for most models available.
- Black zinc surface finish for less Corrosion.

Put your tooth count on "**XX**" to complete your sprocket part number.

STD	HONDA	Year	Size	Part #	Tooth*
CR50/60	83-86	420	K1303-XX	13,14,15	
CR80R	80-85	420	K1303-XX	13,14,15	
CR85R	86-02	420	K1308-XX	13,14,15	
CR125M	03-07	420	K1308-XX	13,14,15	
	74-78	428	K1408-XX	13,14,15,16,17	
	79-85	520	K1507-XX	13,14	
CR125R	86	520	K1546-13	13	
	87-03	520	K1545-XX	12,13,14	
	04-07	520	K1549-XX	12,13,14	
CR250M	73-77	520	K1504-XX	13,14	
	79-85	520	K1511-14	14	
CR250R	88-07	520	K1539-XX	13,14	
CR450/480/500R	81-85	520	K1511-14	14	
CR500R	88-01	520	K1539-XX	13,14	
CRF150R	07-19	420	K1307-XX	14,15,16	
CRF250R/RX	04-17	520	K1549-XX	12,13,14	
CRF450X	05-17	520	K1539-XX	13,14	
CRF450R	02-19	520	K1539-XX	13,14	
CRF450RX	17-19	520	K1539-XX	13,14	
CRF110F	13-16	420	K1533-XX	13,14,15	
CRF125F	14-19	428	K1402-XX	13,14	
CRF150F	03-17	520	K1508-XX	12,13,14	
CRF230F	03-19	520	K1508-XX	12,13,14	
CRF150L	18	428	K1408-XX	13,14,15,16	
CRF250L/M	12-19	520	K1521-XX	13,14	
CRF250RALLY	17-19	520	K1521-XX	13,14	
CRM50/80	88-98	420	K1303-XX	13,14,15	
CRM250R	89-90	520	K1542-XX	13,14	
CRM250R/AR	91-99	520	K1543-XX	13,14,15	
CT250SILKROAD	82	520	K1518-XX	12,13,14	
EZ250	90	428	K1409-XX	14,15	
FX650	05-06	520	K1534-XX	14,15	
FTR223	00-14	520	K1408-XX	12,13,14	
FTR250	85	520	K1507-XX	13,14	
FTR250	86	520	K1508-XX	12,13,14	
MR250	76	520	K1504-XX	13,14	
MT125	74-76	428	K1408-XX	13,14,15,16,17	
MT250	74-76	520	K1504-XX	13,14,15	
MTX50R/80R	85	420	K1303-XX	13,14,15	
MTX125R	83	428	K1409-XX	14,15	
MTX200R	83-88	520	K1507-XX	13,14	
NX125	88-90	428	K1409-XX	14,15	
NX650	88	520	K1510-XX	12,13,14	
RTL250	94-04	520	K1506-XX	11,12,13	
SL125	73	428	K1409-XX	14,15	
SL230	97-04	520	K1508-XX	12,13,14	
SL250	72-74	520	K1519-XX	13,14,15	
SLR650	97-01	520	K1534-XX	14,15	
TLM200	73-76	428	K1409-XX	14,15	
TLM200	85-87	520	K1506-XX	11,12,13	
TLM220	88-93	520	K1506-XX	11,12,13	
TLM240/260	86	520	K1506-XX	11,12,13	
TLM260	93	520	K1506-XX	11,12,13	
TLM500	87	420	K1303-XX	13,14,15	
TLR200	83	520	K1506-XX	11,12,13	
TLR250	85-87	520	K1510-14	14	
XL50S/80S	80	428	K1303-XX	13,14,15	
XL125K	75-78	428	K1409-XX	14,15	
XL125S	79-81	428	K1409-XX	14,15	
XL125R	82-85	428	K1409-XX	14,15	
XL175	76	520	K1504-XX	13,14	
XL200R	83	520	K1507-XX	13,14	
XL230	02-03	520	K1508-XX	12,13,14	
XL250 DEGREE	91-95	520	K1521-XX	13,14	
XL300K	76-78	520	K1519-XX	13,14,15	
XL250S	79-82	520	K1518-XX	13,14,15	
XL250R	83	520	K1518-XX	12,13,14	
XL400/500/600S/R	78-88	520	K1518-XX	12,13,14	
XLR80	90	420	K1303-XX	13,14,15	
XLRI25	93-97	428	K1408-XX	13,14,15,16,17	
XLRP200	93	520	K1508-XX	13,14,15	
XLR250	85-86	520	K1508-XX	13,14,15	
XLR250/BAJA(MD20/22)	87-94	428	K1408-XX	13,14,15,16,17	
XL250 (520 Converted)	87-94	520	K1508-XX	12,13,14	
XL250	84	520	K1505-XX	13,14	
XR50/100MOTARD	05-08	420	K1507-XX	13,14,15	
XR50/CRF50F	02-17	420	K1308-XX	13,14,15	
XR70	97-99	420	K1303-XX	13,14,15	
XR70R/CRF70F	00-12	420	K1303-XX	13,14,15	
XR75/80R/CRF80F	73-13	428	K1303-XX	13,14,15	
XR100R/CRF100F	81-13	428	K1408-XX	13,14,15,16,17	
XR125L	03-07	428	K1408-XX	13,14,15,16,17	
XR200	00-02	520	K1507-XX	13,14	
XR230/M	05-12	520	K1508-XX	12,13,14	
XR250/BAJA/MOTARD (MD30)	95-07	520	K1521-XX	13,14	
	79-81	520	K1519-XX	13,14,15	
XR250	82-83	520	K1518-XX	12,13,14	
	84-87	520	K1507-XX	13,14	
XR250R (ME06)	88-95	520	K1508-XX	12,13,14	
XR250R (ME08)	96-05	520	K1521-XX	13,14	
XR350R	83-84	520	K1505-XX	13,14	
	85-87	520	K1510-14	14	
XR400MOTARD	05-08	520	K1543-XX	13,14,15	
XR400R	96-04	520	K1544-XX	13,14,15	
XR500/600	79-90	520	K1518-XX	12,13,14	
XR600R	91-00	520	K1527-XX	14,15	
XR650L	93-19	520	K1527-XX	14,15	
XR650R	00-07	520	K1529-XX	14,15	
XR7200X	83-85	520	K1507-XX	13,14	
ATC250R	83-86	520	K1511-14	14	
ATC350	85-86	520	K1510-14	14	
TRX200	520	520	K1504-XX	13,14	
TRX250R	86-89	520	K1511-14	14	
TRX400	85-14	520	K1527-XX	14,15	
TRX450	04-05	520	K1539-XX	13,14	
Z50R	88-99	420	K1303-XX	13,14,15	
CB125	73-86	428	K1409-XX	14,15	
CB200	75	520	K1504-XX	13,14	
CB223S	520	520	K1508-XX	12,13,14	
CBF250	04-05	520	K1521-XX	13,14	
CL200	75	520	K1504-XX	13,14	
FX650	99-01	520	K1534-XX	14,15	
GB250	85	520	K1505-XX	13,14	
NSR80	87	420	K1303-XX	13,14,15	
REBEL250	88	520	K1505-XX	13,14	

STD	GASGAS	Year	Size	Part #	Tooth*
GASGAS125EC	03-14	520	K1535-XX	13,14,15	
GASGAS200/250/350/400/450	97-13	520	K1536-13	13	

STD	YAMAHA	Year	Size	Part #	Tooth*
MX90		74-75	428	K1404-XX	13,14,15
MX/YZ125		74-76	428	K1404-XX	13,14,15
YZ50		80	420	K1301-XX	12,13,14,15
YZ60		81-84	420	K1301-XX	12,13,14,15
		74-77	420	K1301-XX	12,13,14,15
YZ80		78-80	428	K1401-XX	13,14
		81-01	428	K1404-XX	13,14,15
YZ85		02-19	428	K1412-XX	13,14,15,16,17
		77-86	520	K1501-XX	12,13
YZ125		87-04	520	K1535-XX	13,14,15
		05-19	520	K1548-XX	12,13,14
YZ175		76	520	K1501-XX	12,13
YZ250		77-98	520	K1513-XX	13,14,15,16
YZ250F		99-19	520	K1530-XX	12,13,14
YZ250F		01-19	520	K1530-XX	12,13,14
YZ240F		98-99	520	K1530-XX	12,13,14
YZ2426F		00-02	520	K1530-XX	12,13,14
YZ2450F		03-19	520	K1530-XX	12,13,14
YZ125X		17-19	520	K1548-XX	12,13,14
YZ250X		16-19	520	K1530-XX	12,13,14
YZ250FX		15-19	520	K1548-XX	12,13,14
YZ2450FX		16-19	520	K1530-XX	12,13,14
WR125		98-02	520	K1535-XX	13,14,15
WR200		91	520	K1535-XX	13,14,15
WR250F		01-19	520	K1548-XX	12,13,14
WR250R/X		07-17	520	K1548-XX	12,13,14
WR250Z		89-98	520	K1513-XX	13,14,15,16
		99-02	520	K1530-XX	12,13,14
WR400F		98-99	520	K1530-XX	12,13,14
WR426F		00-02	520	K1530-XX	12,13,14
WR450F		03-19	520	K1530-XX	12,13,14
AG200		85	428	K1406-XX	14,15,16
AT1A/AT125		70	428	K1404-XX	13,14,15
BW200		85-88	520	K1501-XX	12,13
BW350		87-88	520	K1501-XX	12,13
CT11/CT175		70	428	K1404-XX	13,14,15
DT11/DT250		68-78	520	K1530-XX	12,13,14
DT125		74-81	428	K1404-XX	13,14,15
DT125R		85-87	428	K1406-XX	14,15,16
		88-98	428	K1412-XX	13,14,15,16,17
DT125R (520 Converted)		88-98	520	K1535-XX	13,14,15
DT200R		88-90	428	K1412-XX	13,14,15,16,17
DT200R (520 Converted)		88-90	520	K1535-XX	13,14,15
DT200WR		91-94	520	K1535-XX	13,14,15
DT230LANZA (520 Converted)		96	520	K1535-XX	13,14,15
DT230LANZA		97-98	428	K1412-XX	13,14,15,16,17
DT400		75	520	K1530-XX	12,13,14
DT50LW(17W)		82-96	420	K1304-XX	12,13,14,15
DT90		74-76	428	K1404-XX	13,14,15
FT50		71	420	K1301-XX	12,13,14,15
GTS0		420	420	K1301-XX	12,13,14,15
GTS0		420	420	K1301-XX	12,13,14,15
HT1/HT90		70	428	K1404-XX	13,14,15
IT175		77-83	520	K1501-XX	12,13
IT200		84-86	520	K1501-XX	12,13
IT60		71	420	K1301-XX	12,13,14,15
PW80		83-06	420	K1304-XX	12,13,14,15
RT1/RT360/DT360		69-74	520	K1530-XX	12,13,14
SEROW225		85-04	428	K1406-XX	14,15,16
SEROW250		05-18	428	K1415-XX	13,14,15
TD125		89	428	K1412-XX	13,14,15,16,17
TD250		91	520	K1530-XX	12,13,14
TD250/80		88	428	K1406-XX	13,14,15,16
T250		86-87	520	K1515-XX	14,15
T250R		93-97	520	K1580-XX	13,14
T250RAID (520 Converted)		94-96	520	K1580-XX	13,14
TT350		86-92	520	K1515-XX	14,15
TT500		76	520	K1530-XX	12,13,14
TT600		83-92	520	K1515-XX	14,15
TT600		00-17	420	K1304-XX	12,13,14,15
TT900		06-07	420	K1304-XX	12,13,14,15
TR110		08-17	420	K1304-XX	12,13,14,15
TR225		99-04	428	K1406-XX	14,15,16
TR230		05-17	520	K1503-13	13
TW125		99-05	428	K1410-XX	14,15
TW200		87-01	428	K1410-XX	14,15
TW225		02-07	428	K1410-XX	14,15
TY125		76-89	428	K1404-XX	13,14,15
TY175		77-80	428	K1404-XX	13,14,15
TY250S/R		84-90	520	K1512-XX	11,12
TY250Z		94	520	K1535-XX	13,14,15
TY350R		85	520	K1512-XX	11,12
TY60		75	420	K1301-XX	12,13,14,15
TY80		75	420	K1301-XX	12,13,14,15
TRICKER		05-18	428	K1415-XX	13,14,15
XT125R/X		08-11	428	K1405-XX	13,14,15,16
XT250T		83-84	520	K1552-XX	13,14,15
XT250X		06-17	428	K1415-XX	13,14,15
XT400		82	520	K1515-XX	14,15
XT500		76-81	520	K1530-XX	12,13,14
XT600TENERE		83-86	520	K1515-XX	14,15
XT725		03-12	428	K1515-XX	14,15,16
XT7600TENERE		08-15	520	K1534-XX	14,15
XTZ750 SUPERTENERE		90	520	K1528-13	13
YFS200 BLASTER		88-06	520	K1500-13	16
BRONCO		96	428	K1406-XX	14,15,16
B1		70	420	K1301-XX	12,13,14,15
FZ400R		84-87	520	K1515-XX	14,15
MT03		06-12	520	K1534-XX	14,15
RZ125		82-86	428	K1406-XX	13,14,15,16
TA125		73-74	428	K1404-XX	13,14,15
TR125		87-99	428	K1406-XX	13,14,15,16
XR400		93	520	K1515-XX	14,15
YSR50		87-92	420	K1301-XX	12,13,14,15
YSR80		87-92	420	K1301-XX	12,13,14,15

LIGHT WEIGHT

	Bike	Year	Size	Part#	Tooth
HONDA	CR125R	04-07	520	K1549-XXL	13
	CR250R	88-07	520	K1539-XXL	13
	CR500R	88-01	520	K1539-XXL	13
	CRF150R	07-21	420	K1307-XXL	15
	CRF250R	04-17	520	K1549-XXL	13
	CRF450R	02-21	520	K1539-XXL	13
	CRF450RX	17-21	520	K1539-XXL	13
	CRF250X	04-17	520	K1549-XXL	13
	CRF450X	05-17	520	K1539-XXL	13
	TRX450	04-05	520	K1539-XXL	13
YAMAHA	MX90	74-75	428	K1404-XXL	13,14
	MX/YZ125	74-76	428	K1404-XXL	13,14
	YZ60	81-84	420	K1304-XXL	13,14
	YZ80	81-01	428	K1404-XXL	13,14
	YZ85	02-21	428	K1412-XXL	14
	YZ125	05-21	520	K1548-XXL	13
	YZ250	99-21	520	K1530-XXL	13
	YZ250F	01-21	520	K1548-XXL	13
	YZ400F	98-99	520	K1530-XXL	13
	YZ426F	00-02	520	K1530-XXL	13
	YZ450F	03-21	520	K1530-XXL	13
	YZ125X	17-21	520	K1548-XXL	13
	YZ250X	16-21	520	K1530-XXL	13
	YZ250FX	15-21	520	K1548-XXL	13
	YZ450FX	16-21	520	K1530-XXL	13
	WR250F	01-21	520	K1548-XXL	13
	WR250R/X	07-20	520	K1548-XXL	13
	WR250Z	98-02	520	K1530-XXL	13
	WR400F	99-99	520	K1530-XXL	13
	WR426F	00-02	520	K1530-XXL	13
	WR450F	03-21	520	K1530-XXL	13
	AT1/AT125	70	428	K1404-XXL	13,14
	CT1/CT175	70	428	K1404-XXL	13,14
	DT1/DT250	68-78	520	K1530-XXL	13
	DT125	74-81	428	K1404-XXL	13,14
	DT125R	88-98	428	K1412-XXL	14
	DT200R	88-90	428	K1412-XXL	14
	DT230LANZA	97-98	428	K1412-XXL	14
	DT400	75-	520	K1530-XXL	13,14
	DT50LW(17W)	82-96	420	K1304-XXL	13,14
	DT90	74-76	428	K1404-XXL	13,14
	HT1/HT90	70	428	K1404-XXL	13,14
	PW80	83-06	420	K1304-XXL	13,14
	RT1/RT360/DT360	69-74	520	K1530-XXL	13
	TDR125	89-	428	K1412-XXL	14
	TDR250	91	520	K1530-XXL	13
	TT500	76	520	K1530-XXL	13
	TTR50	06-17	420	K1304-XXL	13,14
	TTR90	00-07	420	K1304-XXL	13,14
	TTR110	08-17	420	K1304-XXL	13,14
	TY125	76-89	428	K1404-XXL	13,14
	TY175	77-80	428	K1404-XXL	13,14
	XT500	76-81	520	K1530-XXL	13
	TA125	73-74	428	K1404-XXL	13,14
	KX60	83-00	420	K1304-XXL	13,14
	KX65	00-21	420	K1304-XXL	13,14
	KX80/85/100	79-21	420	K1304-XXL	13,14
KAWASAKI	KX250	99-08	520	K1530-XXL	13
	KX250F	06-18	520	K1547-XXL	13
	KX250	19-21	520	K1547-XXL	13
	KX250X	21	520	K1547-XXL	13
	KX450F	06-18	520	K1530-XXL	13
SUZUKI	KX450	19-21	520	K1530-XXL	13
	KX450X	21	520	K1530-XXL	13
	KLX450R	08-09	520	K1530-XXL	13
	NINJA650/R	09-16	520	K1530-XXL	13
	RM80	82-01	428	K1404-XXL	13,14
	RM85	02-19	428	K1404-XXL	13,14
	RM125	75	428	K1404-XXL	13,14
	RMZ250	13-15	520	K1524-XXL	13
	RMZ450	13-14	520	K1541-XXL	13
	RMX450Z	10-17	520	K1541-XXL	13
KTM	RA125	84	428	K1404-XXL	13,14
	TM125	73-75	428	K1404-XXL	13,14
	TS90	70	428	K1404-XXL	13,14
	TS125	71-81	428	K1404-XXL	13,14
	LT80	87-88	428	K1404-XXL	13,14
	RV125	73-74	428	K1404-XXL	13,14
	85SX	03-17	428	K1411-XXL	14
	125SX	98-21	520	K1537-XXL	13,14
	150SX	09-21	520	K1537-XXL	13,14
	250SX	94-21	520	K1537-XXL	13,14
	250SX-F	06-21	520	K1537-XXL	13,14
	350SX-F	11-21	520	K1537-XXL	13,14
	450SX-F	07-21	520	K1537-XXL	13,14
	125EXC	96-16	520	K1537-XXL	13,14
	200EXC	97-16	520	K1537-XXL	13,14
	250EXC/TPI	97-21	520	K1537-XXL	13,14
	300EXC/TPI	96-21	520	K1537-XXL	13,14
	250EXC-F	06-21	520	K1537-XXL	13,14
	350EXC-F	12-21	520	K1537-XXL	13,14
	450EXC-F	03-21	520	K1537-XXL	13,14
	500EXC/F	12-21	520	K1537-XXL	13,14
	530EXC	08-11	520	K1537-XXL	13,14
	150XC	10-14	520	K1537-XXL	13,14
	250XC	06-21	520	K1537-XXL	13,14
	300XC	06-21	520	K1537-XXL	13,14
	250XC-F	07-21	520	K1537-XXL	13,14
	350XC-F	11-21	520	K1537-XXL	13,14
	450XC-F	08-21	520	K1537-XXL	13,14
	125XC-W	17-18	520	K1537-XXL	13,14
	150XC-W	17-21	520	K1537-XXL	13,14
	200XC-W	06-16	520	K1537-XXL	13,14
	250XC-W	06-21	520	K1537-XXL	13,14
	300XC-W	06-21	520	K1537-XXL	13,14
	250XC-F-W	06-16	520	K1537-XXL	13,14
	350XC-F-W	12-21	520	K1537-XXL	13,14
	450XC-W	07-16	520	K1537-XXL	13,14
	500XC-W	12-16	520	K1537-XXL	13,14
	530XC-W	10-10	520	K1537-XXL	13,14
	FREERIDE250F	18-19	520	K1537-XXL	13,14
	FREERIDE250R	14-17	520	K1537-XXL	13,14
	FREERIDE350	12-17	520	K1537-XXL	13,14
	TC85	14-17	428	K1411-XXL	14
HUSQVARNA	TC125/250	14-21	520	K1537-XXL	13,14
	FC250/350/450	14-21	520	K1537-XXL	13,14
	TE125	14-16	520	K1537-XXL	13,14
	TE150/250/300/I	17-21	520	K1537-XXL	13,14
	FE250/350/450/501	14-21	520	K1537-XXL	13,14
	TX125	17-19	520	K1537-XXL	13,14
	TX300/I	17-21	520	K1537-XXL	13,14
GASGAS	FX350/450	17-21	520	K1537-XXL	13,14
	GASGAS200/250/350/400/450	97-13	520	K1536-XXL	13

Put your tooth count on "XX" to complete your sprocket part number.

unit UNIT MOTORCYCLE PRODUCTS



REAR STEEL SPROCKET

- Durable steel motorcycle rear sprocket.
- Electrophoretic or plate coating surface finish available.

	Bike	Year	Size	Part#	Tooth	
HONDA	CR80R/85R	85-07	420	K3401-0XX	46,47,48,49,50,51,55,56,57	
	CRF150R	07-21	420	K3401-0XX	46,47,48,49,50,51,55,56,57	
	CRF100F/XR100R	91-12	428	K3405-0XX	49,50,51	
	CRF125F	14-21				
	CR125R/250R	87-07				
	CRF150F/230F	03-19				
	CRF250F	19-21				
	CRF250R	04-21				
	CRF450R	02-21	520	K3402-0XX	39,40,41,42,43,44,45, 46,47,48,49,50,51,52,53	
	CRF250RX	19-21				
	CRF450RX	17-21				
	CRF450L	19-20				
	CRF450RL	21				
	CRF250X/450X	04-21				
	XR250R(ME06)	90-95	520	K3403-0XX	39,40,42,44,45,46,48	
	XR250R(ME08) XR400R	96-05	520	K3402-0XX	39,40,41,42,43,44,45,46,47,48,49,50,51,52,53	
	XR600R.XR650L	91-20	520	K3403-0XX	39,40,42,44,45,46,48	
	XR650R	00-07	520	K3402-0XX	39,40,41,42,43,44,45,46,47,48,49,50,51,52,53	
	CRM50/80	88-97	420	K3401-0XX	46,47,48,49,50,51,55,56,57	
	CROSS CUB110	18-21	428	K3406-0XX	35,37	
	SL230	97-04	428			
	XR230	05-12	520	K3402-0XX	39,40,41,42,43,44,45, 46,47,48,49,50,51,52,53	
	XR250/BAJA/MOTARD (MD30)	95-07	520	K3402-0XX	39,40,41,42,43,44,45,46,47,48,49,50,51,52,53	
	CRF250L/M	12-20	520	K3403-0XX	39,40,42,44,45,46,48	
	CRF250RALLY	17-20	520	K3403-0XX	39,40,42,44,45,46,48	
	CRM250R	89-96	520	K3403-0XX	39,40,42,44,45,46,48	
	CRM250AR	97-98	520	K3402-0XX	39,40,41,42,43,44,45,46,47,48,49,50,51,52,53	
	SUPER CUB110	18-20	428	K3406-0XX	35,37	
YAMAHA	YZ80/85	93-21	428	K3431-0XX	46,47,48,49,50,51,52,53	
	YZ125/250	85-98	520	K3451-0XX	44,45,46,47,48,49,50,51	
	YZ250F	99-21				
	YZ400-450F	01-21				
	YZ125X	99-21				
	YZ250X	16-21	520	K3452-0XX	42,43,44,45,46,47,48,49,50,51,52	
	YZ250FX	15-21				
	YZ450FX	16-21				
	WR250F	01-21				
	WR400F-450F	99-21				
	WR250	89-01	520	K3451-0XX	44,45,46,47,48,49,50,51	
	TDR50/80	88-	428	K3453-0XX	49,54	
	TTR125	02-17	428	K3453-0XX	49,54	
	XTZ125	03-17	428	K3453-0XX	49,54	
	DT125R	-87	428	K3453-0XX	49,54	
	DT125R/200R DT230LANZA	88-	428	K3454-0XX	53,55,57	
	DT125R/200R DT230LANZA (428-520 Converted) #1	88-	520	K3451-0XX	44,45,46,47,48,49,50,51	
	DT200WR #1	91-94				
	SEROW225W/WE	93-99	428	K3455-0XX	45,48,50	
	SEROW225WE #3	00-04	428	K3455-0XX	45,48,50	
	SEROW250 #3	05-20	428	K3455-0XX	45,48,50	
	TRICKER #3	04-18	428	K3455-0XX	45,48,50	
	TT250R #1	93-97	520	K3451-0XX	44,45,46,47,48,49,50,51	
	TT250R RAID	94-96	428	K3454-0XX	53,55,57	
TT250R RAID (428-520 Converted) #1	94-96	520	K3451-0XX	44,45,46,47,48,49,50,51		
WR250R/X#1	07-20	520	K3452-0XX	42,43,44,45,46,47,48,49,50,51,52		
KAWASAKI	XT250	08-21	428	K3455-0XX	45,48,50	
	KX85	01-21	420	K3420-0XX	46,47,48	
	KX80/85/100	90-21	420	K3422-0XX	49,50,51,52	
	KX125/250	90-08				
	KX250F	04-18				
	KX250	19-21				
	KX450F	06-18				
	KX450	19-21	520	K3424-0XX	39,40,41,42,43,44,45, 46,47,48,49,50,51,52,53	
	KLX450R	08-15				
	KX250X	21				
	KX450X	21				
	KLX125/D-TRACKER125	10-16				
	KLX150BF	16	428	K3425-0XX	44,47,49	
	KLX150S	09-13				
	KLX230	20-21	520	K3424-0XX	39,40,41,42,43,44,45,46,47,48,49,50,51,52,53	
	KLX230R	20-21	520	K3424-0XX	39,40,41,42,43,44,45,46,47,48,49,50,51,52,53	
	KDX125SR	90-99	428	K3426-0XX	50,52,54	
	KDX125SR (428-520 Converted)	90-99				
	KDX200-250R/SR	89-				
	KLX250/300R/SR/ES	93-20	520	K3424-0XX	39,40,41,42,43,44,45,46, 47,48,49,50,51,52,53	
D-TRACKER	98-16					
SUZUKI	RM80/85	89-20	428	K3431-0XX	46,47,48,49,50,51,52,53	
	RM125/250	89-08	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	RM-Z250	04-08	520	K3424-0XX	39,40,41,42,43,44,45,46,47,48,49,50,51,52,53	
		07-20	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	RM-Z450	05-20	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	RMX450Z	10-17	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	TS125R (428-520 Converted)	90-96				
	TS200R	89-	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	SX125R, DJEBEL125, DF125, DR125 (428-520 Converted)	-	520	K3436-0XX	45	
	RMX200, DJEBEL200, DF200, DR200SE					
	SX250S/R	89-98	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	DR250S/DJEBEL250	90-94	520	K3433-0XX	41,42,43,44,45,46,47,48,49,50,51,52	
	DR250R/DJEBEL250XC	95-08	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	DRZ400R	00-05	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
		00-03				
	DRZ400S(JAPAN)	04-09	520	K3433-0XX	41,42,43,44,45,46,47,48,49,50,51,52	
	DRZ400S(US)	00-19	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	DRZ400SM #2	05-09	520	K3433-0XX	41,42,43,44,45,46,47,48,49,50,51,52	
	DRZ400S(US)	05-19	520	K3432-0XX	40,41,42,43,44,45,46,47,48,49,50,51,52	
	85SX	93-21	428	K3477-0XX	46,47,48,49,50	
	KTM	125-690 SX/SXF/EXC /EXC-/EXC-R/XC/XCW/SMR	01-21	520	K3475-0XX	38,39,40,41,42,43,44,45,46,47,48,49,50,51,52
		HUSABERG	350-650 FCFE/FS	00-08	520	K3475-0XX
	WR/CR/TE/C/TX/C/SM/SMR 125-610		90-08	520	K3433-0XX	41,42,43,44,45,46,47,48,49,50,51,52
	HUSQVARNA	TC85	14-21	428	K3477-0XX	46,47,48,49,50
TC/TE/FC/FE/TX/FX 125-501		14-21	520	K3475-0XX	38,39,40,41,42,43,44,45,46,47,48,49,50,51,52	
GASGAS	701ENDURO	16-21	520	K3475-0XX	38,39,40,41,42,43,44,45,46,47,48,49,50,51,52	
	125-510cc (EC/FSR MC SM)	97-08	520	K3433-0XX	41,42,43,44,45,46,47,48,49,50,51,52	




YouTube

UNIT MOTORCYCLE PRODUCTS

C9010 MOTORCYCLE DISPLAY STAND

- Tied front tire stand type for exhibition and in-store display.
- Able to check riding position.
- By adjusting two types of wire (long and short) and turn buckle. Can be used widely from small diameter to large diameter tire.
- Made of laser cut steel.

Color : Black
Material : Steel
Size : W600 x D335 x H60 (mm)
Weight : 6 kg



C5010 EMERGENCY SIDE STAND

- Simplified rear wheel lift up stand.
- Place under frame, opposite side of motorcycle side stand, to easily lift rear wheel.
- Great for use on repairing flat tire during touring.
- Provides 10 different stand heights to fit most motorcycle under frame.
- Effective height is from 270 mm to 450 mm .

Color : Black
Material : Steel
Weight : 453 g
Max Weight : 300 kg



You Tube

UNIT MOTORCYCLE PRODUCTS

C5025 SWING ARM LIFT STAND

- Simplified rear wheel lift up stand.
- Good to use when cleaning wheel, chain cleaning and chain oil lubing.
- Non step height adjustable design, can be used on many motorcycles.
- Folding design for saving storage spaces.
- Effective height is from 330 mm to 380 mm

***Do not remove rear wheel with this stand. Can not be used for maintenance which is required to remove rear wheels from the motorcycles.**

***Easy to slide when it is used on painted floor. Use this stand at grounds with good grip.**

Color : Black
Material : Steel
Weight : 740 g
Max Weight : 250 kg



You Tube

UNIT MOTORCYCLE PRODUCTS

E4010 WHEEL ROLLER

- Allows a motorcycle wheel to spin during cleaning or chain maintenance.
- 3 different roller adjuster position allow use on wheel sizes from 10 to 19 inches.
- Bearings inside of rollers provide smooth wheel spin.
- Can be used on tire sizes up to 200 size.

Color : Black
Material : Steel
Size : W215 x D345 x H41.5 (mm)
Weight : 1.8 kg
Max Weight : 200 kg



3 different roller adjuster position allows use on wheel sizes from 10 to 19 inches.



You Tube

UNIT MOTORCYCLE PRODUCTS



E801x BOOTS WASH STAND

- Stand designed for easy motocross boot washing.
- Set boots up side down on the stand to wash with high pressure washer.
- Water won't enter inside of boot.
- Easy to wash, keep boots on the stand to dry.
- Compact design.



E8010 BOOTS WASH STAND

Color : Black
Material : Steel
Size : W270 x D300 x H515 (mm)
Weight : 1.95 kg

E8013 BOOTS WASH STAND

Color : Black
Material : Steel
Size : W270 x D300 x H570 (mm)
Weight : 2.4 kg

With handle

E880x SILENCER PLUG

- Double soft rubber provides an excellent fit to keep water, bugs and dirt out of your exhaust system.
- Comes with straps for easy removal from silencer end and storage.
- Available in 2 sizes.

Color : Black
Material : Rubber

E8802 SILENCER PLUG S

Size : For exhaust opening size from 15 mm to 30 mm
Weight : 37 g



E8804 SILENCER PLUG L

Size : For exhaust opening size from 30 mm to 50 mm
Weight : 98 g



E780x HELMET HANGER

- Wall hanging hook for your garage or van.
- Can be hung on canopy pole with clamp bands and zip ties.
- Not only for hanging helmets, but also other items helps make your garage well organized.
- Made of durable steel.



E7802 HELMET HANGER

Type A
 Color : Black
 Material : Steel
 Size : W164 x D48.7 x H96.2 (mm)
 Weight : 160 g

E7804 HELMET HANGER

Type B
 Color : Black
 Material : Steel
 Size : W183.6 x D48.7 x H124 (mm)
 Weight : 225 g



P430x SPRING HOOK

- Make your exhaust spring removal easy.
- Body is made of durable stainless steel, and does not rust.
- Rubber coated handle provide better grip for secure operation.
- Available S and L sizes.



P4302 SPRING HOOK S

Size : W100 x T185 (mm)
 Weight : 84 g



P4304 SPRING HOOK L

Size : W125 x T235 (mm)
 Weight : 115 g

P800x SNAP RING PLIER

- Pliers for C type snap rings. 4 different pliers available, internal and external, straight and bend head.



P8001

Style : Internal
 Head style : Straight
 Tip diameter : 1.8 mm
 Open width : 32 mm
 Head length : 44 mm
 Size : 185 mm
 Weight : 152 g



P8002

Style : Internal
 Head style : 90 degree
 Tip diameter : 1.8 mm
 Open width : 22 mm
 Head length : 24 mm
 L head length : 18 mm
 Size : 158 mm
 Weight : 151 g



P8003

Style : External
 Head style : Straight
 Tip diameter : 1.8 mm
 Open width : 30 mm
 Head length : 44 mm
 Size : 165 mm
 Weight : 146 g



P8004

Style : External
 Head style : 90 degree
 Tip diameter : 1.8 mm
 Open width : 26 mm
 Head length : 24 mm
 L head length : 18 mm
 Size : 165 mm
 Weight : 145 g



You Tube
UNIT MOTORCYCLE PRODUCTS

P5020 WIRE TWISTER

- Special wiring tool for motorcycle use.
- Hook wire on stainless hook and rotate handle for twisting wire.
- Easy wire twisting for grip, drain bolts and others.
- Twister hook is made of stainless steel, durable and does not rust.

Color : Black
Material : Steel
Size : W 190 mm
Weight : 63 g

N1100 SAFETY WIRE

- Stainless wire for motorcycle safety wire or grip uses.
- Wire thickness : 0.6 mm, Length : 100 m
- Wire packed durable plastic case.

Length : 100 m
Wire thickness : 0.6 mm
Weight : 220 g



P5510 GRIP END CUTTER

- Easily to cut your grip end to install aluminum hand guards.
- Hit grip end with this tool for a clean cut every time.
- Comes with 2 cutters, 22.2 mm and 25.4 mm (throttle side)
- Made of steel for durability.

Color : Black
Material : Steel
Size : W150 x D13 (mm)
Case Size : W170 x D25 (mm)
Weight : 248 g



You Tube
UNIT MOTORCYCLE PRODUCTS

P8021 STEEL OILER

- Pump oiler comes with straight nozzle.
- Great to use for engine, front fork assembling etc.
- Container made of steel.

Capacity : 200 ml
Nozzle length : 130 mm
Size : W45 x L170 x H130 (mm)
Weight : 127 g






Original Design !!

E7120 ENGINE STAND

- Engine maintenance stand.
- Can be used on 50 to 450 cc single cylinder engine.
- Stand length and height are adjustable, fits most single cylinder engine.
- Comes with 2 engine shafts.

Color : Black
Material : Steel
Size : W315 x D353 x H205 (mm)
Weight : 4.6 kg



Adjustable stand length to fit most small to 450 cc single cylinder engines.




Adjustable engine hanger height and width.

E7150 ENGINE DISPLAY STAND

- Engine maintenance stand.
 - Stand to keep engine safety.
 - Rubber pipes protect engine from damages or scratches.
- CAUTION: Depending on the shape of the bottom of the engine, it may become unstable.

Color : Black
Material : Steel
Size : W 255 x H 55 x D 240 (mm)
Weight : 1.2 kg



P3801 SPARK PLUG WRENCH B TYPE Water-Cooled

- B type plug wrench for 2 stroke water cooled bikes.
- Easy to use around a narrow engine head.
- Bend angle of 10 ° available on both ends.
- Equipped with frequently used 12 mm.

Color : Black
Material : Steel
Length : 180 mm
Thickness : 6 mm
Weight : 106 g



P3900 EXHAUST VALVE TIMING WRENCH

- Tool to adjust the exhaust device of 2 stroke KTM and Husqvarna.
- It allows to adjust the opening timing of the exhaust device and setting that match the situations.
- For carburetor model. Please do not use for injection bike.
- 5 mm square wrench.

Color : Black
Material : Steel
Size : 85 mm
Weight : 20.6 g



P8031 PART WASH SHAKER

- Clean parts such as bearings, carburetor parts.
- Equipped with mesh
- O-ring in the cap helps avoid liquid leaking.
- Aluminum body.

Color : Black
Material : Aluminum
- Aluminum cylinder
Outer diameter : W44 x H 70 (mm)
inner diameter : W41 x H 54 (mm)
- Mesh
inner diameter : W40 x H 50 (mm)
Weight : 1.2 kg

LEVER HANDLE

Pull Down Force Power through sprocket and chain makes lifting the bike easy.

STOPPER

Automatically locks when lifting. Pull down the lever handle and pull the stopper to release the lock and lower the bike.

ROLLER

4 rollers prevent tilting of the lift bar and keep it horizontal when lifting the bike.



DAMPER

Two dampers reduce the impact when lowering.

TIE DOWN BELT with SPECIAL BRACKET

Mounting position can be adjusted. Set on lift bar with pin and clip.



FRAME SPACER

Height is adjustable with two different length frame.

100 mm ROTARY CASTER

Smooth mobility with large diameter wheel. With brake x2, Without brake x2.

REMOVABLE STABILIZER PIPE

By inserting the stabilizer pipe in the hook ensures frame rigidity for mounting and moving.

Easy MAINTENANCE, easy to move !

C1410 MOVABLE GATE LIFTER

- Able to move while lifting up the bike to the disassembly and maintenance of the wheel and the suspension.

Color : Black
Material : Steel
Size : W1082 x T1840 x D660 (mm)
Weight : 28.5 kg



C1410 and C1412 SPEC

- Lift bar height range: 1550 mm (Lowest) 1700 mm (Highest)
- Inside frame width: 980 mm
- Lift height: Approx 100 mm
- Liftable weight: 200 kg

C1412 MOVABLE GATE LIFTER w / Pull Handle

- Comes with frame connection plate and carry handle.

Color : Black
Material : Steel
Size : W1082 x T1840 x D660 (mm)
Weight : 30.5 kg

FRAME CONNECTION PLATE (INCLUDED IN C1412)

Connect 2 Lifters in front and back and lift up the whole bike and it makes movable.

CARRY HANDLE (INCLUDED IN C1412)

Pull, push, and turn when moving.



C1010 FRAME STAND

- Lift gate for lifting up motorcycle.
- Good for front fork and rear maintenance.
- Maximum hanging weight 180 kg.

Color : Black
Material : Steel
Size : W1080 x D500 x H2000 (mm)
Weight : 15.2 kg

- *Do not hang entire motorcycle with this stand.
- *Do not use this stand at an unstable place.
- *Lift motorcycle with front or rear stands before hanging the motorcycle.



Reinforced frame body.




Provides 3 different heights with 16 mm fine adjustment.



Tie down hooking point.



Durable and stable frame stand foot.



YouTube

UNIT MOTORCYCLE PRODUCTS



E7520 WHEEL STAND

- Hold the wheel during your maintenance of front suspension or rear swing arm.
- Can be used as a wheel maintenance stand, to clean up wheel, for spoke nipple tightening and rim tape attaching.
- Foldable design saves space in your garage.
- Comes with Axle shaft holder.

Color : Black
Material : Steel
Size : W270 x T370 x H510 (mm)
Folding Size : W270 x T510 x H70 (mm)
Weight : 2.3 kg
Shaft Size : more than 16 mm
Hub width : up to 230 mm
Wheel size : up to 21 inch



Axle shaft holder



Folding design



Adjustable shaft angle





You Tube
UNIT MOTORCYCLE PRODUCTS

C3102 POSITION CHANGER

C3104 STAND ROLLER

C3102 POSITION CHANGER

- This Position Changer makes your bike moving easy at the track deck or small garage.
- Use this Position Changer with our Stand Roller (sold separately), to easily move your rear wheel.
- Even big sport bikes can be moved by this Position Changer because of its lever rule design.
- Position Changer tire has a camber angle for easy operation.

***Recommend to use this Position Changer with Stand Roller for easy operation.**

Color : Black
Material : Steel
Weight : 3.38 kg
Max Weight : 250 kg


How to use

1. Set stand roller (Sold separately) under the side stand.
2. Place position changer at rear wheel and lift up rear wheel.
3. Based front tire, you can move rear wheels very easy.

DETAIL



Designed to hold tire secure.



Position Changer tire has a camber angle for easy to move the bike.




Durable steel pipe handle.



C3104 STAND ROLLER

- Stationing the front tire, you can move rear wheels very easy with position changer.
- Place stand roller under the side stand to move your bike.
- Stand roller tire has a camber angle for easy operation.

Color : Black
Material : Steel
Weight : 885 g
Max Weight : 250 kg



Stand roller tire has a camber angle for easy to move the bike.

You Tube
UNIT MOTORCYCLE PRODUCTS




B2310 ROAD BIKE FOOT PEG STAND

- Foot peg stand for racing road bikes.
- Easy to maintain rear wheels and swing arms.
- Can be used with foot peg diameter less than 32 mm.
- Provides 10 different heights with 16 mm fine adjustment.

* May not be used for folding style foot pegs.

Color : Black
Material : Steel
Size : W300 x D260 x H385 (mm)
Weight : 5.2 kg



B2010 ROAD BIKE FOOT PEG SIDE STAND

- Foot peg side stand.
- Great for use on racing bikes and bikes with removed stock side stand.
- Can be used with foot peg diameter less than 32 mm.
- Provides 8 different heights with 16 mm fine adjustment.

* May not be used for folding style foot pegs.

Color : Black
Material : Steel
Size : W290 x D30 x H300 (mm)
Weight : 1.2 kg





Can be folded for storage.



B2510 ROAD BIKE FSTAND STEM UP

- A front maintenance stand.
- Included stem adapters are available in 6 different sizes.
- Compatible with various bikes.
- The height is adjustable in 7 levels.

Color	: Black
Material	: Steel
Size	: W505 x D680 (mm)
Folding Size	: W505 x D350 x H680 (mm)
Height system	: 20 mm 7 steps
Accessories pin	: 13/15.5/18/20/22/24/27 (mm)
Weight	: 6.9 kg
Max Weight	: 200 kg



B259X REPLACEMENT STEM ADAPTER

- Replacement adapter set for B2110 Front stem up stand.

B2590	: 13 mm
B2591	: 15.5 mm
B2592	: 18 mm
B2593	: 20 mm
B2594	: 22 mm
B2595	: 24 mm
B2596	: 27 mm



B2597 OPTION STEM ADAPTER

- Option stem adapter for Ninja ZX-25R.



TYPE U



TYPE L



B2236 ROAD BIKE RSTAND Height Adjustable


- Height and width adjustable sport bike stand.
- Comes with L and U attachment.
- Height adjustable in 5 level.
- Can be used from a mini and a full size motorcycle

***Can not be used on motorcycles, where swing arm heights on the left and right are different, or on one sided swing arm.**


Color	: Black
Material	: Steel
Size	: W570 x D570 (mm)
Swing arm	: Type L 270 - 390 mm / Offset 220 - 345 mm
Width	: Type U 295 - 400 mm / Offset 255 - 360 mm
Weight	: 6.2 kg
Max Weight	: 200kg

Width adjustment between the attachments

In case of using for a mini bike with narrow swing arms.



In case of using for a big bike with wide swing arms.




Can be used for small to big bikes by changing attachment holder directions.

Height adjustable feature



Height adjustable in 5 levels from 265mm to 335mm.



TYPE L B2291 OPTIONAL ATTACHMENT

- L shape attachment to fit lower swing arm.

Material	: Steel
Size	: W55 x D185 x H50 (mm) (1 pc)
Weight	: 900 g



TYPE U B2292 OPTIONAL ATTACHMENT

- U shape attachment to fit swing arm spools.

Material	: Steel
Size	: W60 x D130 x H80 (mm) (1 pc)
Weight	: 388 g



A136 MX LIFT STAND

- Height adjustable dirt bike lift stand.
- Non step height adjust system fits under most dirt bikes, from 65 cc to full size dirt bikes.
- Jack foot pedal is designed for easy operation.
- Non-slip rubber top plate lifts the bike securely.
- Available narrow and wide type top plate.
- H shape stand base provides grate stability.
- Adjustable Height range : 350 mm to 420 mm

Color : Black
 Material : Steel
 Size : W300 x D330 (mm)
 Max Weight : 150 kg (300lb)

DETAIL



Wide and narrow top plates available.



Height adjust system to fit under most offroad bikes.

LINE UP



A1360

- Narrow top plate
- Plate size : W58 x D263 (mm)
- Weight : 5.7 kg



A1364

- Wide top plate
- Plate size : W150 x D275 (mm)
- Weight : 6.9 kg



Replacement

A1981

- MX Stand Rep. Damper
- size : W210 x D25 (mm)
- Weight : 350 g



YouTube

UNIT MOTORCYCLE PRODUCTS

A118 MX LIFT STAND

- MX lift stand made of durable steel.
- Long levered jack pedal for easy bike lift.
- Rounded pipe handle for easy operation.
- Non-slip rubber top plate lifts the bike securely.
- Can be used for motorcycles with ground clearance between 310 mm to 410 mm.

Color : Black
Material : Steel
Size : W300 x D330 x H420 (mm)
Weight : 5.4 - 6.0 kg
Max Weight : 150 kg (300lb)

DETAIL



Wide and narrow top plates available.



4 stand legs uphold the bike securely.



Long levered jack pedal for easy bike lift.

LINE UP



A1181

- Narrow top plate
- Plate size : W58 x D263 (mm)
- Weight : 4.8 kg



A1185

- Wide top plate
- Plate size : W150 x D275 (mm)
- Weight : 5.6 kg

A3xxx MX SIDE STAND

- Side stand, hook into rear axle.
- Great to use on MX racing bikes and bikes removed stock side stand.
- Made of durable steel.



You Tube
UNIT MOTORCYCLE PRODUCTS

11mm 14.5mm 18mm

A3010

- T-type side stand comes with 3 different attachments to fit most dirt bike axle shafts.
- Corresponding size : 11 / 14.5 / 18 mm

Color : Black
Material : Steel
Size : H 370 mm
Weight : 610 g

11mm 14.5mm 18mm

A3110

- Triangle stand comes with 3 different attachments to fit most dirt bike axle shafts.
- Corresponding size : 11 / 14.5 / 18 mm

Color : Black
Material : Steel
Size : H 370 mm
Weight : 663 g

18mm

A3330

- Quick release function on triangle stand.
- Stand stays on axle shaft during transporting bike to washing area or garage.
- Shaft diameter : 18 mm

Color : Black
Material : Steel
Size : H 370 mm
Weight : 600 g

Shaft diameter Application


11mm	
Bike	Year
DT200WR	ALL
KX125/250	90-02
KDX200-250	ALL
KLX250R/300R	ALL
RM85L	ALL
DR250R	ALL
DRZ400S/SM	00-16
125-530SX/SX-F	-12
125-530EXC/EXC-F	ALL
TC125	14-15
TC250	14-16
FC250/350/450	14-15
TE/FE125-501	14-18
TX125	17-18

18mm	
Bike	Year
CR125R/250R	00-07
CRF250R	04-21
CRF450R	02-21
CRF450RX	17-21
YZ250F	09-21
YZ450F	09-21
RMZ450	05-20
RMZ250	04-20
KX125/250	03-08
KX250F	04-18
KX250	19-21
KX450F	06-18
KX450	19-21
125-530SX/SX-F	13-21
TC125	16-21
TC250	17-21
FC250/350/450	16-21
FC250/450(US)	15-21
TX300	17-21
FX350/450	17-21

14.5mm	
Bike	Year
YZ125/250	99-21
YZ400F-450F	99-08
YZ250F	01-08
YZ250FX	15-21
YZ450FX	16-21
YZ125X	17-21
YZ250X	16-21
WR250R/X	ALL
RM125/250	02-08



Inner diameter 42 mm



A3410 UNIVERSAL SIDE STAND with GRIP HOLDER

- Universal side stand with grip holder.
- Able to hold the grip to make the bike angled.
- Easy to wash off the mud underneath the fender and the frame.
- It prevents the bike contacting the ground and the damages on the plastic parts of the bike.
- Usable for the grip with the diameter less than 34mm.
- The diameters to insert to the axle shaft hole are 11/14.5/18mm.

Size

245mm × 165mm × 410mm

11mm 14.5mm 18mm

A3410

Color : Black
Material : Steel
Size : H 370 mm
Weight : 780g



A2210 FIT STAND

- Height and stand angle adjustable stands.
- Wide opening stand top area for easy oil changes.
- 4 height adjustable foot bolts provides great stability.
- Can be used for small to full size dirt bikes.
- Comes with tool tray.
- Black, red, orange and blue colors are available.
- Stand height : 405 mm - 460 mm
- Maximum stand angle : 10 degree
(Stand angle will be limited by stand height)

Color : Black / Red / Orange / Blue
Material : Steel
Size : W370 x D430 x H405-460 (mm)
Weight : 5.14 kg
Max Weight : 150 kg (300 lb)

Easy to access oil drain bolt because of wide opening stand top.




A2210-1
Black

A2210-2
Red

A2210-3
Orange


A2210-6
Blue

DETAIL



Adjustable angle

Adjust stand height and angle to lift up your front and rear wheel when the bike sits on the stand.



Height adjustable

Can be used for mini, super motard to full size dirt bikes.
Can be adjusted to your required height for your track use or maintenance at garage.



You Tube

UNIT MOTORCYCLE PRODUCTS

A2130 MX DOLLY STAND

- A stand with casters that allows mobility inside the garage.
- Protect bike with two rubber pads. Secure high stability during maintenance and moving.
- Equipped with two casters with stoppers, optimal when placing a motorcycle or storing.

Color	: Black
Material	: Steel
Size	: W333 x D390 x H420 (mm)
Weight	: 6.5 kg
Max Weight	: 150 kg (300 lb)
Top square size	: 190 x 250 (mm)



You Tube

UNIT MOTORCYCLE PRODUCTS

A2132 DOLLY STAND with Handle

- A stand with casters that allows mobility inside the garage.
- Protect bike with two rubber pads. Secure high stability during maintenance and moving.
- Equipped with two casters with stoppers, optimal when placing a Motorcycle or storing.
- With a handle on the dolly stand.
- Since it is possible to move the entire bike and stand using the handle , the bike is hard to be displaced from the stand when moving.

Color	: Black
Material	: Steel
Size	: W 333 x H 420 x D 390 (mm)
Weight	: 8 kg
Max Weight	: 150 kg (300 lb)
Top square size	: 190 x 250 (mm)



Rubber pipes protect the motorcycle from damage



Removable tray is ideal for tool storage during oil change and maintenance.



**A2219 FIT / DOLLY / FOLDING
REP. STAND RUBBER TUBE 2 pcs**





A2110 MX BOX STAND

- Box type steel MX stand, made of durable steel.
- Great for use on most full size dirt bikes.
- Wide non-slip rubber top plate hold the bike securely.
- Stand height : 420 mm


Color : Black
Material : Steel
Size : W376 x D376 x H420 (mm)
Weight : 4 kg
Max Weight : 150 kg (300lb)



A4110 MX STAND VINTAGE

- Vintage motocross bike stand.
- Hold the bike secure, stand does not make contact with down pipe.
- Height and width adjustable function fits most vintage motocross bikes.
- Can be used with small wheel off road bikes, like TT50, CRF50 and DRZ50.
- Big rubber end cap provides stand stability.

Color : Black
Material : Steel
Size : W 255 x D 255 x H 305 (mm)
Weight : 3.2 kg



The height can be adjusted up to 250 mm - 350 mm.



The width can be adjusted up to 210 mm - 300 mm.



A4200 DIY STAND KIT

- Diy kit.
- Hassle free.
- Free to design of cut, weld and paint to make your own custom stand.
- Steel, phosphate treated.
- Height 420 mm, Width 462 mm

KIT CONTENT:

- Curved processed main pipe (16 mm t 3.0) x 2
- Straight pipe (16 mm t 3.0) x 2
- Rod (10 mm) x 4
- Reinforcement plate x 1
- Bracket x 2
- Rubber x 2
- End cap x 2



You Tube
UNIT MOTORCYCLE PRODUCTS

A2410 MX FOLDING STAND

- A folding stand that is easy to carry and can store even inside a van.
- It is useful in various situations such as garage and paddock.
- The top plate has two rubber coated pipes to prevent damage on the bike.
- It works for full size motocrosser.

Color	: Black
Material	: Steel
Size	: W355 x D365 x H420 (mm)
Weight	: 3.2 kg
Max Weight	: 150 kg (300 lb)
Top square size	: 120 x 250 (mm)



**A2219 FIT / DOLLY / FOLDING
REP. STAND RUBBER TUBE 2 pcs**

You Tube

UNIT MOTORCYCLE PRODUCTS

A2610 STEP STAND

- Quick foot operated lift stand.
- Allows easy access to oil drain plug because of its unique design.
- Stand height : 410 mm
- Made of durable steel construction.

Color	: Black
Material	: Steel
Size	: W525 x D330 x H414 (mm)
Weight	: 4 kg

You Tube

UNIT MOTORCYCLE PRODUCTS



STAND / CRUISER

B2430 SWING UP LIFT STAND

- A new idea of a lift stand that raises a self-standing bike diagonally by side stands while vertically raising a bike.
- Both jaws holding down-tube frame are capable of moving in sideways so that being able to grab the frame.
- Tool is unnecessary for height and width setting.
- Quickly lift up with ratchet wrench or electric impact wrench.
- It provides high stability lift-up as well as safety works.
- Includes Low and High attachment.

Color	: Black
Material	: Steel
Size	: W 700 x H 300 x D 260 (mm)
Weight	: 6.5 kg
Lift-up height range	: 142 to 415 mm
Main pipe length	: About 500 mm
Max Weight	: 500 kg



LOW



HIGH

The attachment height and position can be adjusted to fit various bikes seamlessly without using tools

By lifting up on the under frame helps avoid to interfere with the muffler etc.

When lift up / down, work can be done quickly by using ratchet wrench or electric screwdriver (hex size 14 mm)

You Tube


UNIT MOTORCYCLE PRODUCTS

B2410 CRUISER LIFT STAND

- Easy lift up with force of leverage.
- 6 mm thick side plate by laser cutting process and high rigidity large diameter pipe.
- Rubber pipe protects the underneath of frame.

Color	: Black
Material	: Steel
Size	: W 460 x H 205 (mm)
Weight	: 4.5 kg
Lift-up height range	: 160 to 205 mm (4 level adjustment)
Max Weight	: 500 kg

4 level adjustment




Rubber pipe protects the motorcycle from damage.

TOURING / FORK COVER



J01xx GPS / SMART PHONE HOLDER MOUNT

- Convenient holder mount to attach holders for GPS, navigation, smart phone.
- Set a hang angle of 5 ° on the holder mount horizontally
- Mirror hole type lineup of 3 types for left and right and lever clamping.
- Made of steel.

Type	Part#	Description	Size (mm)	Weight
A	J0110	For the left side (It also works right side but It will be set in front)	W127 x D50 x H45	72 g
B	J0120	For the right side (It also works left side but It will be set in front)		
C	J0130	Both left and right side mountable.	W107 x D22.2 x H105	71 g



Type-A,B



Type-C

Bike	Year	with-Strainer	w/o-Strainer
HONDA			
CR125R/250R	80-07	-	UN-N0031
CRM250R	89-96	UN-N0023	-
CRM250AR	97-98	UN-N0022	-
MT125	74-76	UN-N0042	-
MT250	74-76	UN-N0042	-
SL125	71-74	UN-N0042	-
TLR200	83	-	UN-N0010
TLM200R	85-87	UN-N0012	-
TLM220R	88-93	UN-N0012	-
XE50	76-79	-	UN-N0010
XE75	76-79	-	UN-N0010
XL125S	79-81	-	UN-N0010
XLR250R/BAJA	89-94	UN-N0023	-
XR250(MD30)/BAJA	95-07	UN-N0022	-
CL125	-	UN-N0043	-
YAMAHA			
DT125	78-79	UN-N0651	-
DT200R	88-90	-	UN-N0641
DT200WR	91-94	UN-N0402	UN-N0401
DT250	74-76	UN-N0621	-
DT360	74	UN-N0621	-
GT50	72-81	UN-N0602	-
GT80	72-81	UN-N0602	-
MR50	77-78	UN-N0602	-
SEROW225	89-93	-	UN-N0661
SEROW225W	93-96	-	UN-N0661
TY50	75-80	UN-N0602	-
TY80	75-78	UN-N0602	-
TY125	75-78	UN-N0611	-
TY175	75-80	UN-N0611	-
TY250	74-77	UN-N0611	-
TY250R/S	84-91	-	UN-N0641
XT500	76-81	UN-N0621	-
KAWASAKI			
KLR250	85-90	-	UN-N0201
KM90	76-81	UN-N0241	-
125TR	74-75	UN-N0251	-
KE125	76-79	UN-N0251	-
SUZUKI			
DR125S	82-84	UN-N0411	-
RA125	84-88	UN-N0413	-
RH250	84-88	UN-N0413	-
RMX250S	96-98	UN-N0402	UN-N0401
SX200R	85-91	UN-N0411	-
TS50W	90-97	UN-N0413	-

N0022

N0042

N0401


N0602

N0621

Nxxx FUEL COCK & FUEL FILTER

- Lever switch : ON / OFF / Reserve

The screw size varies depending on year and model, please confirm manufacturer's tank.



N2110

N2112



N5001 WIRELESS HOUR METER

- The Wireless Hour Meter that senses the vibration of the engine, records the running time, displays it.
- Equipped with temporary operation time mode convenient for management such as oil change timing.
- Double-sided tape is included.
- Waterproof.
- * Please don't use near the high temperature such as the muffler etc.



After



D0101 FORK PULL DOWN HOOK


- Compress front fork with tie-down using right front axle shaft hole makes it easy to fit in a low van.
- 19 mm exclusive use.

Material : Steel
Size : L 115 mm
Weight : 229 g




D3611 TIE DOWN HOOK STD

- Tie-down hook for your van or truck.
- Provides an additional hook point for tie downs.
- Clamp bolt : M8. 2 pcs.



D3612 TIE DOWN HOOK Swivel

- Swivel-style tie-down hook for your van or truck.
- Provides an additional hook point for tie downs.
- Clamp bolt : M8. 2 pcs.



D3601 RATCHET TIE DOWN

- Ratchet buckle tie down for greater tensioning power.
- Vinyl coated hooks with 25 mm wide, thick and durable strap.
- Rubber covers on ratchet handle and release levers.
- Easy to operate even in narrow and small spaces.
- Comes in pairs.
- Comes with loop strap to prevent damaging your bike.
- Safety hook included to prevent unwanted detachment.

Part #	Description
D3601-0	Tie Down Belt Ratchet Pair Blue
D3601-1	Tie Down Belt Ratchet Pair Black
D3601-2	Tie Down Belt Ratchet Pair Red

D3602 CAM BUCKLE TIE DOWN


- Standard cam buckle tie down.
- Vinyl coated hooks with 25 mm wide, thick and durable strap.
- Comes in pairs.
- Comes with loop strap to prevent damaging your bike.
- Safety hook included to prevent unwanted detachment.

Part #	Description
D3602-0	Tie Down Belt Cam Buckle Pair Blue
D3602-1	Tie Down Belt Cam Buckle Pair Black
D3602-2	Tie Down Belt Cam Buckle Pair Red

D3608 TIE DOWN SOFT HOOK

- Designed to compensate for attachment points not accessible with hooks.
- Wrap around handle bars, sub frame etc and insert flat loop through twisted loop and attach tie down hook.
- Comes in pairs.

Part #	Description
D3608-0	Tie Down Belt Soft Hook Pair Blue
D3608-1	Tie Down Belt Soft Hook Pair Black
D3608-2	Tie Down Belt Soft Hook Pair Red



D11xx WHEEL CHOCK

- Universal bike wheel chock.
- Can be used on tire widths up to 145 mm.
- Made of durable 20 mm diameter steel pipe.
- Comes with attachment holes to easily fix on the floor.
- Unique curved design does not interfere with sport bike big brake discs. (D1122)



D1112 MX

Color : Black
Material : Steel
Size : W185 x H245 x T295 (mm)
Weight : 1.4 kg



D1122 STREET

Color : Black
Material : Steel
Size : W185 x H240 x T300 (mm)
Weight : 1.4 kg



D1312 RIGHT

Color : Black
Material : Steel
Size : W410 x D220 x H210 (mm)
Weight : 1.5 kg




D1310 LEFT

Color : Black
Material : Steel
Size : W410 x D220 x H210 (mm)
Weight : 1.5 kg

D131x WHEEL CHOCK



- Special wheel chock to use when you need to turn handlebar in a small van or on the truck deck.
- Great for use in small vans, especially when taking 2 motorcycles.
- Available in right and left side wheel chock models.
- Made of 20 mm diameter durable pipe.
- Can be used on tire widths up to 150 mm





D3701 WHEEL CHOCK BAR BASIC KIT

- Universal wheel chock kit for your transport van or truck.
- Can be fit your transport van or truck deck floor with bolts.
- Comes with one wheel chock.
- Wheel chock can be used with wheel larger than 10 inch, 130mm width tire.
- Available optional wheel chock (D3731), direct mount kit D3734) and tie down hook (D3737).



D3731
OPTIONAL WHEEL CHOCK



D3737
OPTIONAL TIE DOWN HOOK



D3734
OPTIONAL DIRECT MOUNT KIT

N3531 / N3571 SILICONE FORK BOOTS

- Made of durable and flexible silicone rubber.
- It has a Constant flexibility even in high or low temperature.
- Mat rubber surface finish.
- Protect your inner tube from mud or dirt during your ride.
- Comes with steel attaching bands.




N3531
24T 35-38 mm

Part#	Color
N3531-1	Black
N3531-2	Blue
N3531-3	Red
N3531-5	Yellow

Size	Length	Inner tube diameter	Outer tube diameter
N3531	270 - 330mm Length Maximum length	Ø31- Ø34mm, Ø35- Ø38mm With rubber band	Ø50- Ø55mm, Ø56- Ø60mm With rubber band
N3571	330 - 400mm Length Maximum length	Ø36 - Ø39mm, Ø40- Ø45mm With rubber band	Ø56- Ø59mm, Ø60- Ø63mm With rubber band

* Fork boots size may differ for each item due to rubber products.
Please refer to above size as a guide.



N3571
31T 40-45 mm

Part#	Color
N3571-1	Black
N3571-2	Blue
N3571-3	Red
N3571-4	Green
N3571-5	Yellow

N3581x FORK BOOTS BAND 2 pcs

Part#	Size (mm)
N35815	37-39
N35817	41-43
N35819	52-55



N3xxx FORK DUST COVER

- Dust cover made of synthetic rubber, excellent in wear resistance, better than conventional fork dust cover. Matte black type surface.
- The best for replacement covering of vintage bikes where stock parts are difficult to find.

Part #	Size (mm)		
	Diameter	Outer	Lower height
N3261	26	43	14.5
N3263	26	38.5	18
N3272	27	46.5	15
N3275	27	46	15
N3276	27	47	17
N3278	27	42	24
N3303	30	48	15
N3305	30	45	21
N3306	30	48.5	21
N3311	31	54	15
N3312	31	50	15
N3331	33	54	15
N3333	33	53	14

Part #	Size (mm)		
	Diameter	Outer	Lower height
N3341	34	55.5	21.5
N3345	34	50	21.5
N3347	34	50	10
N3348	34	50	21.5
N3349	34	54	22
N3351	35	56	15
N3355	35	55	22
N3356	35	54	12
N3357	35	55	14
N3362	36	56	21.5
N3364	36	56	14.5
N3431	43	61	15



N2205 MOTO WRAP

- Vinyl bike cover.
- Convenient for storage in a garage or warehouse.
- It can be used widely from off road bike to super sports.

Size : W 300 cm × H 180 cm
Quantity : 5 sheets for (1 pack)



N300x (500 mm)

N302x (10 m)

N303x (2 pcs)

N30xx FUEL HOSE

- Dual layered fuel hose.
- Inner side nitrile rubber, high in petrol resistance. Outer side is chloroprene rubber, which is cold and abrasion resistant.

FuelHose		Fuel Hose Clips	
Part#	Size	Part#	Size (mm)
N3004	500 mm 4 x 8 mm with Clips	N3034	8
N3005	500 mm 5 x 9 mm with Clips	N3035	9
N3006	500 mm 6 x 10 mm with Clips	N3036	10
N3007	500 mm 7 x 11 mm with Clips	N3037	11
N3008	500 mm 8 x 12 mm with Clips	N3038	12
N3024	10 m 4 x 8 mm	N3044	8
N3025	10 m 5 x 9 mm	N3045	9
N3026	10 m 6 x 10 mm	N3046	10
N3027	10 m 7 x 11 mm	N3047	11
N3028	10 m 8 x 12 mm	N3048	12



Pipe is not included. Please buy pipe at hardware store.



Kit Content

U9011 CYCLE STORAGE STAND

- Cycle Stand. Just hook the saddle.
- Folding legs is convenient for storage.
- Rust-resistant zinc plating.
- With holes for anchor bolt.
- * Pipe is not included.
- Please purchase at your local hardware store.
- (Recommended pipe diameter 48.6 mm)

Color : Black
Material : Steel
Weight : 10 kg



Set the pipe securely with U clamp and plate.



Foldable.





Anchor bolt hole.



U9015 CYCLE FLIPOVER STAND 2 pcs

- Convenient stand allows the bicycle to be set upside down for maintenance.
- Giving space of about 100 mm off the ground from the handle prevents interference of lights and cycle computers.
- Fits road bikes (held by bracket).
- Resin coating and rubber cover to prevent scratching of the cycle.

Color : Black
Material : Steel
Size : W135 x D100 x T110 (mm)
Weight : 337 g



Web Site and Social media



Home page

unit-products.com



FaceBook

www.facebook.com/unitmotorcycleproducts/



Instagram

[unit_motorcycle_products](https://www.instagram.com/unit_motorcycle_products)



YouTube

www.youtube.com/channel/UCt9gu3L0wC84s0-KOVtZScBQ/featured



unit

UNIT MOTORCYCLE PRODUCTS

Head office

2-30 Nakamizuno
Seto city, Aichi 489-0005
Japan
info@unit-products.com

Factory

West Beiyang Station, Taigu County,
Jinzhong, Shanxi
China